

BVS ACID PAK W/C

BVS ACID PAK IS A WATER ACIDIFIER SUPPLYING SUPPLEMENTAL VITAMIN C, ENZYMES, ELECTROLYTES AND NATURAL GUT FLORA (BACTERIA) FOR USE DURING PERIODS OF STRESS OR REDUCED FEED AND WATER INTAKE.

| GUARANTEED ANALYSIS | | |
|----------------------------|---------------|-------------------|
| Citric Acid..... | Minimum | 64% |
| Ascorbic Acid..... | Minimum | 60,000mg/LB |
| Sodium..... | Minimum | 3.5% |
| Sodium..... | Maximum | 4.5% |
| Potassium..... | Minimum | 2.20% |
| Lactobacillus..... | | 167 million CFU/g |
| Streptococcus Faecium..... | | 167 million CFU/g |

INGREDIENTS:

CITRIC ACID, ASCORBIC ACID, SODIUM CHLORIDE, DEXTROSE, POTASSIUM CHLORIDE, DRIED LACTOBACILLUS ACIDOPHILUS FERMENTATION PRODUCT, SODIUM CITRATE, FERROUS SULFATE, MAGNESIUM SULFATE, ZINC SULFATE, DRIED STREPTOCOCCUS FAECIUM FERMENTATION EXTRACT, DRIED ASPERGILLUS NIGER FERMENTATION PRODUCT, DRIED A ORYZAE, B SUBTILIS FERMENTATION PRODUCTS, ARTIFICIAL AND OR NATURAL FLAVOR.

DIRECTIONS FOR USE:

DRINKING WATER: Mix contents of this pouch (8 oz.) per 128 gallons of water.

FOR AUTOMATIC PROPORTIONERS: Mix contents of this pouch (8 oz.) in one gallon of water to prepare stock solution. Set proportioner to deliver one (1) fluid ounce of stock solution per gallon of drinking water. Prepare fresh stock solution daily.

RECOMMENDED TIMES OF USE: PROVIDE FOR 5-7 DAYS. REPEAT AS NEEDED.

PIGS: Post-weaning, moving and arrival

POULTRY: Newly placed birds and moving to grow out.

HEAT STRESS: Use every other day as needed.

STORE IN COOL DRY PLACE

MANUFACTURED FOR:
BEST VETERINARY
SOLUTIONS
1716 DETROIT STREET
ELLSWORTH, IA 50075

FOR ORAL ANIMAL USE ONLY
KEEP OUT OF REACH OF
CHILDREN

Q121506

NET WEIGHT: 227 g (8 oz.)

12/06