

all natural ingredients



	HMIS	
Health		0
Flammability		0
Reactivity		0
Personal Protection		E

# MATERIAL SAFETY DATA SHEET

Date revised: 01/05/15

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: **Fossil Shell Flour®**

Generic Name: Diatomaceous Earth

Chemical Family: Silicates

Manufacturer: Perma-Guard, Inc.

Address: 60 N Cutler Drive, Unit 202  
North Salt Lake State, UT Zip: 84054

**Emergency: Chemtrec USA (800) 424-9300**  
International: (703) 527-3887 Collect

## 2. COMPOSITION INFORMATION

INGREDIENT Name:	CAS Number:	%	
NATURAL DIATOMACEOUS EARTH (DE) AMORPHOUS SILICA	61790-53-2	100	Diatomaceous Earth (uncalcined) 6 mg/M3 TOTAL DUST, MSHA 10 mg/M3 TOTAL DUST, ACGIH

## 3. HAZARD IDENTIFICATION

Unusual Fire and Explosion Hazards: None

Threshold Limit Value: 10MG/M3 Total Dust: Nuisance Dust

Possible Effects of a Single overexpose:

Acute Accidental Exposure would be non-specific. Inhalation symptoms might include coughing, wheezing, difficult breathing and minor upper respiratory tract irritation.

Possible effects of repeated overexposure: Chronic overexposure may cause Pneumoconiosis, known as (Dusty lung) Skin Contact: No Known Concern Eye Contact: May Cause temporary discomfort and irritation Ingestion: No Known Hazard

## 4. FIRST AID MEASURES

Inhalation: Remove to fresh air. Drink water to clear throat. Blow nose to clear dust.

Eyes: Flush eyes with large quantities of water. If irritation persists contact a physician.

Skin Contact: Wash affected area with soap and water Skin Absorption: NA

Ingestion: NOT HAZARDOUS WHEN INGESTED

## 5. FIRE FIGHTING MEASURES

Flash Point: None Flammable Limits: None  
Extinguishing Media: None Special Fire Fighting Procedures: None

## 6. ACCIDENTAL RELEASE MEASURES

Procedures for Spill/Leak: Vacuum Clean or Wet Sweep Spillage.  
Waste Disposal Method: Waste should be disposed of in closed containers to prevent dust.

**Perma-Guard Fossil Shell Flour®**  
revised 01/05/2015 pg. 2

**7. HANDLING AND STORAGE**

As with all powders, limit the creation and inhalation of dust. Wet floor may become extremely slippery when diatomite is present. Store in a dry, cool place out of sunlight. Keep container closed.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Respiratory Protection: Approved dust respirators for exposure to potentially high dust environments.

Ventilation: Local Exhaust Ventilation Recommended.

Protective gloves: Not Required      Eye Protection:      Safety Glasses

Other Protective Equipment: Not Required

**10. STABILITY and REACTIVITY**

Stability:      Inert	Incompatibility: None
Hazardous Decomposition Products	None
Hazardous polymerization:	None
Conditions to avoid:	None

**15. OTHER INFORMATION**

Storage Segregation Hazard Classes: NA      Special Handling/Storage : Repair all broken bags  
Special Workplace Engineering Controls: ADEQUATE VENTILATION TO KEEP DUST LEVEL BELOW PEL.

PREPARED/REVISED BY: Perma-Guard, Inc. (505) 243-1460 As of the date of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with appropriate federal and state law(s). However, no warranty or representation with respect to such information is intended or given.

all natural ingredients

# PERMA-GUARD™

Pure Diatomaceous Earth Products


## Fossil Shell Flour®

Anti-caking Agent

FOOD CHEMICAL CODEX GRADE

A Natural Product composed of ground Diatomaceous Earth,  
Amorphous Silica (Freshwater Type)

Mixing Rate: As an anti-caking agent to be mixed in  
animal feeds in an amount not to exceed  
2% by weight of total ration.



Bountiful, UT 84010

Phone: (505) 243-1460

Product of USA

**Weight:**  
50 lb/22.6 kg

