

# R-Pen™

## Penicillin G Potassium

### Soluble powder for use in drinking water

- Conveniently packaged for ease of use
- Packaged in two sizes:  
0.384 Billion Unit (B.U.)  
0.500 Billion Unit (B.U.)
- One day withdrawal in turkeys

#### Composition:

Penicillin G potassium antibiotic powder

#### Indications/Dose:

- For treatment of erysipelas in turkeys caused by *Erysipelothrix rhusiopathiae*
- Administer orally at a dosage of 1,500,000 units of penicillin per gallon (3.8 liter) of drinking water for five consecutive days
- For best mixing, prepare a concentrated solution by combining contents of entire package and approximately 20 ounces (1 1/2 pints) of water in a glass or plastic container
- Stir to dissolve. Allow the concentrated solution to stand until the foam disappears

**For more information on putting R-Pen to work for you, contact your nearest AlphaPharma representative.**

*AlphaPharma – The performance enhancement people*

## R-Pen™



AlphaPharma Inc.  
One Executive Drive  
Fort Lee, NJ 07024, USA

Tel (201) 947-7774  
Fax (201) 585-0429  
<http://www.alphaPharma.com>

R-Pen is a trademark of AlphaPharma Inc.

Copyright ©2001 by AlphaPharma Inc.

## Proportioner Mixing Instructions:

Transfer the concentrated solution to a suitable stock container and add water to obtain the gallons of stock solution per pack as listed in table below:

Species	Disease	Packet Size	Amount / Gallon Stock Solution	Treatment	Withdrawal
Turkey <sup>1</sup>	Erysipelas	0.384 B.U.	2 gal	5 days	1 day
		0.500 B.U.	2.6 gal	5 days	1 day

## Tank Mixing Instructions:

Transfer concentrated solution to a suitable tank and add water to final volume listed below:

Species	Disease	Packet	Gallons of Water per packet	Treatment	Withdrawal
Turkey <sup>1</sup>	Erysipelas	0.384 B.U.	256	5 days	1 day
		0.500 B.U.	333	5 days	1 day

<sup>1</sup>Not for use in turkeys producing eggs for human consumption.

See package label for complete use directions and warnings.

## Package sizes:

10 x 0.384 B.U.

8 x 0.500 B.U.