

**SAFETY DATA SHEET**



**141 FSE/AG FORTE VITAMIN PREMIX**

**NP23944T01**

Version 1.1

Revision Date 06/19/2015

Print Date 03/30/2016

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : 141 FSE/AG FORTE VITAMIN PREMIX

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Sub-stance/Mixture : Premix for Animal Feeds

**1.3 Details of the supplier of the safety data sheet**

Company : DSM Nutritional Products  
 45 Waterview Blvd  
 US-07054-1298 Parsippany  
 Telephone : (908) 475-7373  
 Telefax : (908) 475-7406  
 E-mail address Responsible/issuing person : sds.nutritionalproducts@dsm.com

**1.4 Emergency telephone number**

1-800-424-9300 (24 HR CHEMTREC, CA & US); Outside CA & US +1-703-741-5970  
 (COLLECT CALLS ACCEPTED)

**SECTION 2. HAZARDS IDENTIFICATION**

**Emergency Overview**

<b>CAUTION</b>	
Appearance	powder
Odour	No information available.
Hazard Summary	May cause birth defects. May cause cancer.

**GHS Classification**

Combustible dust :  
 Eye irritation : Category 2A  
 Carcinogenicity : Category 1A  
 Reproductive toxicity : Category 1B

**GHS Label element**

Hazard pictograms :

Signal word : Danger

Hazard statements : May form combustible dust concentrations in air  
 H319 Causes serious eye irritation.  
 H350 May cause cancer.  
 H360 May damage fertility or the unborn child.

**SAFETY DATA SHEET**



**141 FSE/AG FORTE VITAMIN PREMIX**

**NP23944T01**

Version 1.1

Revision Date 06/19/2015

Print Date 03/30/2016

Precautionary statements : **Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P264 Wash skin thoroughly after handling.  
 P280 Wear protective gloves/ eye protection/ face protection.  
 P281 Use personal protective equipment as required.  
**Response:**  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
**Storage:**  
 P405 Store locked up.  
**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Potential Health Effects**

Skin : May cause skin irritation.  
 Eyes : May cause eye irritation.  
 Aggravated Medical Condition : None known.  
 Symptoms of Overexposure : No specific symptoms known.

**Carcinogenicity:**

**IARC** Group 1: Carcinogenic to humans  
 quartz (SiO2) 14808-60-7

**ACGIH** Suspected human carcinogen  
 quartz (SiO2) 14808-60-7

**OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Additional hazards and advice**

Risk of dust explosion.  
 Women of childbearing age must avoid any overexposure.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Brief description of the product : Mixture

## SAFETY DATA SHEET

**141 FSE/AG FORTE VITAMIN PREMIX****NP23944T01**

Version 1.1

Revision Date 06/19/2015

Print Date 03/30/2016

**Hazardous components**

Component	CAS-No	Weight percent
calcium carbonate	471-34-1	20 - 30
nicotinic acid	59-67-6	10 - 20
silicon dioxide, amorphous	112926-00-8	5 - 10
calcium pantothenate , D-form	137-08-6	1 - 5
menadione nicotinamideb!sulfite (stabilized vitamin K3)	73581-79-0	1 - 5
retinyl acetate (vitamin A acetate)	127-47-9	0.1 - 1

**SECTION 4. FIRST AID MEASURES**

- General advice** : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
After any accidental exposure women should seek medical advice from a physician.
- If inhaled** : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact** : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact** : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed** : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed** : No specific symptoms known.
- Notes to physician** : Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES****Flammable properties**

Flash point : Not applicable

**Fire fighting**Suitable extinguishing media : Water  
Foam**Further information**

- : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must

**SAFETY DATA SHEET**



**141 FSE/AG FORTE VITAMIN PREMIX**

**NP23944T01**

Version 1.1

Revision Date 06/19/2015

Print Date 03/30/2016

be disposed of in accordance with local regulations.  
Consider dust explosion hazard.

**Protective equipment and precautions for firefighters**

Specific hazards during fire-fighting : None known.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Avoid dust formation.  
Avoid breathing dust.

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid formation of respirable particles.  
Avoid exposure - obtain special instructions before use.  
For personal protection see section 8.  
Dispose of rinse water in accordance with local and national regulations.  
Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.  
Take precautionary measures against static discharges.

Conditions for safe storage : Store at room temperature.  
  
Keep container tightly closed and dry.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium carbonate	471-34-1	TWA (Respirable)	5 mg/m3	NIOSH REL

## SAFETY DATA SHEET

**141 FSE/AG FORTE VITAMIN PREMIX****NP23944T01**

Version 1.1

Revision Date 06/19/2015

Print Date 03/30/2016

		TWA (total)	10 mg/m3	NIOSH REL
silicon dioxide, amorphous	silica gel	TWA	6 mg/m3	OSHA P0
calcium pantothenate , D-form	137-08-6	TWA	10 mg/m3	DSM Internal Limit
quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0.025 mg/m3	ACGIH
		TWA (Respirable dust)	0.05 mg/m3	NIOSH REL
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0

**Personal protective equipment**

- Respiratory protection** : In the case of dust or aerosol formation use respirator with an approved filter.
- Hand protection** : Glove material: for example nitrile rubber  
 Glove material: for example nitrile rubber  
 Consider the hazard characteristics of this product and any special workplace conditions when selecting the appropriate type of protective gloves.
- Eye protection** : Safety glasses with side-shields
- Skin and body protection** : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures** : When using do not eat or drink.  
 When using do not smoke.  
 Avoid contact with skin, eyes and clothing.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

- Appearance** : powder
- Odour** : No information available.
- Odour Threshold** : No information available.
- pH** : No data available
- Melting point/range** : not determined
- Boiling point/boiling range** : not determined
- Flash point** : Not applicable
- Flammability (solid, gas)** : May form combustible dust concentrations in air
- Vapour pressure** : Not applicable
- Relative vapour density** : Not applicable
- Density** : not determined
- Water solubility** : not determined
- Partition coefficient: n-octanol/water** : Not applicable

# SAFETY DATA SHEET



## 141 FSE/AG FORTE VITAMIN PREMIX

NP23944T01

Version 1.1

Revision Date 06/19/2015

Print Date 03/30/2016

Auto-ignition temperature : No data available  
Thermal decomposition : No data available  
Explosive properties : No data available  
Oxidizing properties : No data available

### 9.2 Other information

No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.  
Chemical stability : Stable under recommended storage conditions.  
Possibility of hazardous reactions : Dust may form explosive mixture in air.  
Conditions to avoid : Heat  
Incompatible materials : Strong acids and strong bases  
Strong oxidizing agents  
Hazardous decomposition products : No decomposition if used as directed.

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
(Calculation method)  
Skin irritation : May cause skin irritation and/or dermatitis.  
Eye irritation : Dust contact with the eyes can lead to mechanical irritation.  
Genotoxicity in vitro  
retinyl acetate : not mutagenic, not genotoxic (Various test systems)  
Teratogenicity  
retinyl acetate : Teratogenic  
embryotoxic  
Experience with human exposure  
retinyl acetate : RDA (Recommended Daily Allowance) 0.8 mg pure vitamin A  
(retinol) per day  
established for men  
RDA (Recommended Daily Allowance) ca. 0.7 mg pure vitamin A  
(retinol) per day  
established for women

**SAFETY DATA SHEET****141 FSE/AG FORTE VITAMIN PREMIX****NP23944T01**

Version 1.1

Revision Date 06/19/2015

Print Date 03/30/2016

Experience with human exposure: Skin contact

nicotinic acid : Skin: temporary redness, temporary itching

menadione nicotinamide-  
bisulfite : Skin contact may provoke the following symptoms:Toxic skin damage (especially on damp skin), Skin irritation,  
Discoloration, Drying of the skin, Blisteringretinyl acetate : Skin contact may provoke the following symptoms:  
Local irritation

Experience with human exposure: Ingestion

retinyl acetate : Acute overdose produces the following symptoms:  
Headache, Irritability, Tiredness, Drowsiness, Nausea, Vo-  
miting, Signs of increased intracranial pressure, Generalized  
desquamation of the skin (after ca. 24 hours)

Further information : May cause irritation of respiratory tract.

**SECTION 12. ECOLOGICAL INFORMATION****Toxicity**

Toxicity to fish

menadione nicotinamide-  
bisulfite : Oncorhynchus mykiss (rainbow trout)  
LC50 (96 h) 0.43 mg/l  
(nominal concentration)  
(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

menadione nicotinamide-  
bisulfite : Daphnia magna (Water flea)  
EC50 (48 h) 0.77 mg/l  
(nominal concentration)  
(OECD Test Guideline 202)

No data is available on the product itself.

**Persistence and degradability**

Biodegradability

menadione nicotinamide-  
bisulfite : Not readily biodegradable.  
40 % (28 d)  
38 %, (7 d)  
(OECD Test Guideline 301A)retinyl acetate : Not readily biodegradable.  
33 % (28 d)  
(OECD Test Guideline 301B)

No data is available on the product itself.

**Bioaccumulative potential**

**SAFETY DATA SHEET****141 FSE/AG FORTE VITAMIN PREMIX****NP23944T01**

Version 1.1

Revision Date 06/19/2015

Print Date 03/30/2016

Bioaccumulation : No data available

Partition coefficient: n-octanol/water : Not applicable

**Mobility in soil**

Distribution among environmental compartments : No data available

**Results of PBT and vPvB assessment**

Assessment : Not applicable

**Other adverse effects**

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Discharge into the environment must be avoided. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Offer surplus and non-recyclable solutions to a licensed disposal company.

User must determine if any wastes generated exhibit hazardous characteristics as per 40 CFR Part 261 or other national / local legislation.

Contaminated packaging : Dispose of as unused product. Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulation****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**



## SAFETY DATA SHEET

**141 FSE/AG FORTE VITAMIN PREMIX****NP23944T01**

Version 1.1

Revision Date 06/19/2015

Print Date 03/30/2016

**49 CFR**

Not regulated as a dangerous good

Remarks : Not classified as dangerous in the meaning of transport regulations.

**SECTION 15. REGULATORY INFORMATION**

TSCA list : Not relevant

Not relevant

**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**Massachusetts Right To Know**

silicon dioxide, amorphous	silica gel	5 - 10 %
quartz (SiO <sub>2</sub> )	14808-60-7	0.1 - 1 %

**Pennsylvania Right To Know**

calcium carbonate	471-34-1	20 - 30 %
rice hulls	Not Assigned	20 - 30 %
nicotinic acid	59-67-6	10 - 20 %
3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate	7695-91-2	10 - 20 %

**SAFETY DATA SHEET**



**141 FSE/AG FORTE VITAMIN PREMIX**

**NP23944T01**

Version 1.1

Revision Date 06/19/2015

Print Date 03/30/2016

silicon dioxide, amorphous	silica gel	5 - 10 %
calcium pantothenate , D-form	137-08-6	1 - 5 %

**New Jersey Right To Know**

calcium carbonate	471-34-1	20 - 30 %
rice hulls	Not Assigned	20 - 30 %
nicotinic acid	59-67-6	10 - 20 %
3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate	7695-91-2	10 - 20 %
silicon dioxide, amorphous	silica gel	5 - 10 %
quartz (SiO <sub>2</sub> )	14808-60-7	0.1 - 1 %


**The components of this product are reported in the following inventories:**

- TSCA**
- : Not On TSCA Inventory
  - : rice hulls
  - : silicon dioxide, amorphous
  - : 1,2,3,4-tetrahydro-2-methyl-1,4-dioxonaphthalene-2-sulfonic acid, compound with nicotin-3-amide (1:1)
  - : Protein hydrolyzates, vegetable

**SECTION 16. OTHER INFORMATION**

**Further information**

**NFPA:**



**HMIS III:**

<b>HEALTH</b>	<b>2*</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Abbreviations:** ACGIH = American Conference of Governmental Industrial Hygienists. CERCLA = Comprehensive Environmental Response, Compensation and Liability Act. CFR = Code of Federal Regulations. CPR = Controlled Products Regulations. DSL = Canadian Do-

# SAFETY DATA SHEET



## 141 FSE/AG FORTE VITAMIN PREMIX

NP23944T01

Version 1.1

Revision Date 06/19/2015

Print Date 03/30/2016

mestic Substance List. DOT = Department of Transportation. EINECS = European Inventory of New and Existing Chemical Substances. EPA = Environmental Protection Agency. HCS = Hazardous Communication Standard. HEPA = High Efficiency Particulate Air. HMIS = Hazardous Material Identification System. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IMDG = International Maritime Dangerous Good. NFPA = National Fire Protection Association. NIOSH = National Institute of Occupational Safety and Health. NJTSR = New Jersey Trade Secret Registry. NTP = National Toxicology Program. OSHA = Occupational Safety and Health Administration. SARA = Superfund Amendments and Reauthorization Act. TDG = Transportation of Dangerous Goods. TLV = Threshold Limit Value. TSCA = Toxic Substance Control Act. WHMIS = Workplace Hazardous Materials Information System.