

SAFETY DATA SHEET

Product Name: Havoc® XT Blok
Issue Date: June 1st, 2015
Replaces: New Issue
SDS Number: HAC0065-CAN

1. PRODUCT IDENTIFICATION

Product Name: **Havoc® XT Blok**
Product Number(s): 116361-CAN, 116369-CAN
Use: Rodenticide
Manufacturer: Syngenta Crop Protection, LLC.
Post Office Box 18300
Greensboro, NC 27419
Manufacturer Phone: 1-800-334-9481
Distributor: HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956
Distributor Phone: 1-920-326-5141
Emergency Phone: **Medical: 1-800-498-5743 (United States and Canada)**
Spill: 1-800-424-9300 (United States)

2. HAZARDS IDENTIFICATION

Classifications: Specific Target Organ Toxicity: Respiratory Irritation, Category 3
Carcinogenicity: Category 1A
Specific Target Organ Toxicity: Repeated Category I
Dermal: Category 3

Signal Word (EPA): CAUTION

Signal Word (OSHA): DANGER

Hazard Statements: Toxic in contact with skin.
May cause respiratory irritation.
May cause cancer.
Causes damage to organs through prolonged or repeated exposure



Hazard Symbols:

Precautionary Statements: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust.
Wash hands and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves, protective clothing, eye protection.
If on skin: Wash with plenty of soap and water.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If exposed or concerned: Get medical advice/attention.
Call a poison control center, doctor or 1-800-498-5743 (Prosar) if you feel unwell.
Take off immediately all contaminated clothing and wash it before reuse.
Store locked up.
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: This product presents no significant hazards under normal conditions of use.
May form combustible dust concentrations in air.

SAFETY DATA SHEET

Product Name: Havoc® XT Blok
Issue Date: June 1st, 2015
Replaces: New Issue
SDS Number: HAC9065-CAN

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>Common Name</u>	<u>CAS Number</u>	<u>Concentration</u>
Paraffin Wax	Paraffin Wax	8002-74-2	Trade Secret
Oat Flour	Oat Flour	Not Applicable	Trade Secret
3-[3-(4'-bromo[1,1'-biphenyl]4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one	Brodifacoum Technical	56073-10-0	0.005%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label, or Material Safety Data Sheet with you when calling 800-498-5743, a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call 1-800-498-5743, a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 1-800-498-5743 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call 1-800-498-5743, a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Wash skin with soap and water.

Inhalation: Not applicable.

Most Important Symptoms/Effects:

Anticoagulant effects.

Indication of immediate medical attention and special treatment needed:

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ are indicated, as in poisoning from overdose of bishydroxy coumarin. For human cases, Vitamin K₁ is antidotal as doses of 10 – 20 mg (not mg/kg). For animal cases, Vitamin K₁ is antidotal at 2 – 5 mg/kg. Repeated doses may need to be given up to two weeks (based on monitoring of prothrombin time). In severe cases, blood transfusion may be necessary.

Further information is available from the Prosar Emergency Number (1-800-498-5743) provided in this documents.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO₂ extinguishing media. If water is to be used to fight fire, dike and collect run-off.

Specific Hazards:

During a fire, irritating and possible toxic gases may be generated by thermal decomposition of combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or product of combustion.

SAFETY DATA SHEET

Product Name: Havoc® XT Blok
Issue Date: June 1st, 2015
Replaces: New Issue
SDS Number: HAC0065-CAN

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Once all material is collected, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING, AND USE OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limit

<u>Chemical Name</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>OTHER</u>	<u>SOURCE</u>
Paraffin Wax	Not Established	2 mg/m ³ (Fume)	2mg/m ³ (Fume)	NIOSH
Oat Flour	Not Established	Not Established	Not Established	Not Applicable
3-[3-(4'-bromo[1,1'-biphenyl]4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one	Not Established	Not Established	0.002 mg/m ³ TWA	Syngenta

Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact: Eye protection is not required for normal handling. Where eye contact is likely, wear tight-fitting chemical goggles.

Skin Contact: Gloves are not required for normal handling. Where heavy contact is likely, wear chemical resistant (such as nitrile or butyl) gloves.

Inhalation: Respiratory protection is not required for normal handling. In the event of an unusual dust exposure, use engineering controls or a NIOSH-approved particulate respirator (N, P, R, or HE filter) to keep exposure below the Occupational Exposure Limit.

SAFETY DATA SHEET

Product Name: Havoc® XT Blok
Issue Date: June 1st, 2015
Replaces: New Issue
SDS Number: HAC0065-CAN

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Blue Solid
Odor: Slight cereal and wax odor
pH: Not Available
Melting Point: 130°F (paraffin wax)
Freezing Point: Not Available
Boiling Point and Boiling Range: 442 – 446°F (Brodifacoum)
Flash Point (Test Method): >375°F (Paraffin Wax), Method: PMCC
Flammable Limits (% in air): Not Available
Flammability: Not Available
Vapor Pressure: 6×10^{-6} mmHg @ 86°F (20°C)
Vapor Density: Not Available
Relative Density: 1.15 g/ml
Solubility(ies): Insoluble (Brodifacoum Technical)
Partition Coefficient: Not Available
Viscosity: Not Available
Other: Not Available

10. STABILITY AND REACTIVITY

Reactivity: Not reactive
Chemical Stability: Stable under normal use and storage conditions
Possible Hazardous Reactions: Will not occur
Conditions to Avoid: None known
Incompatible Materials: None known
Hazardous Decomposition Products: None known

11. TOXICOLOGICAL INFORMATION

Health Effects Information

Likely routes of exposure: Dermal, inhalation
Symptoms of exposure: Anticoagulant effects
Delayed, immediate and chronic effects of exposure: Anticoagulant effects

Numerical Measures of Toxicity (Acute Toxicity/Irritation Studies – Finished Product)

Ingestion: Oral LD₅₀ (Rat): >5,000 mg/kg body weight
Dermal: Dermal LC₅₀ (Rat): >500 mg/kg body weight
Inhalation: Inhalation LC₅₀ (Rat): See “Other Toxicity Information, Section 11”
Eye Contact: See “Other Toxicity Information, Section 11”
Skin Contact: See “Other Toxicity Information, Section 11”
Skin Sensitization: Not Available

Reproductive/Developmental Effects

Brodifacoum Technical: Not teratogenic, embryotoxic or fetotoxic in rats or rabbits at doses up to 0.02 mg/kg/day – the dose causing excessive maternal toxicity.
Non-genotoxic in a range of assays.

SAFETY DATA SHEET

Product Name: Havoc[®] XT Blok
Issue Date: June 1st, 2015
Replaces: New Issue
SDS Number: HAC0065-CAN

Chronic/Subchronic Toxicity Studies

Brodifacoum Technical: The biological half-life for brodifacoum in body tissue in rats is >100 days. Adverse clinical effects can develop from body accumulation. Prolonged prothrombin time, depression, pallor, subcutaneous hemorrhage, bleeding of nose or gums, gastrointestinal hemorrhage, cerebral hemorrhage, shock and death can develop following exposures.
No neurotox studies have been conducted.

Carcinogenicity

Brodifacoum Technical: Unlikely to be carcinogenic.

<u>Chemical Name</u>	<u>NTP / IARC / OSHA Carcinogen</u>
Paraffin Wax	No
Oat Flour	No
3-[3-(4'-bromo[1,1'-biphenyl]4-4y-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one	No

Other Toxicity Information

Effects of overexposure are those of anticoagulant overdose, i.e., reduced blood clotting ability with spontaneous bleeding in various organs. Body accumulation can result from repeated exposures since the half-life of brodifacoum is > 100 days. Individuals with blood clotting disorders may be more susceptible to overexposure effects.

Systemically toxic concentrations of this product will probably not be absorbed through human skin.

No toxic effects are known to be associated with inhalation of dust from this material.

No irritation is likely to develop following contact with human eyes.

Irritation will probably not develop following contact with human skin.

Toxicity of Other Components

Oat Flour: In normal use this product does not present a serious health risk and ingestion has no adverse effects.

Paraffin Wax: Inhalation may cause eye, skin and respiratory tract irritation.

Target Organs

Active Ingredients

Brodifacoum Technical: Blood

Inactive Ingredients

Oat Flour: Lung

Paraffin Wax: Eye, skin, respiratory tract,

Other Ingredients Not Applicable

SAFETY DATA SHEET

Product Name: Havoc® XT Blok
Issue Date: June 1st, 2015
Replaces: New Issue
SDS Number: HAC0065-CAN

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Brodifacoum Technical:

Fish (Rainbow Trout):	96-hr LC ₅₀ 0.02 ppm
Invertebrates (Water Flea) Daphnia Magna:	48-hr EC ₅₀ 0.98 ppm
Birds (Mallard Duck):	21-day LD ₅₀ 0.26 ppm

Environmental Fate

Brodifacoum Technical:

The information presented here is for the active ingredient brodifacoum.
Not persistent in soil. Stable in water. Immobile in soil. Sinks in water (after 24 hours).

13. DISPOSAL CONSIDERATIONS

Disposal: Do not reuse empty container except for holding additional product.
Characteristic Waste: Not Applicable
Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Proper Shipping Name:	Exterminator, Vermin, O/T Poison
Hazard Class:	Not Applicable
UN Number:	Not Applicable
Packing Group:	Not Applicable
Label:	Not Applicable
Special Instructions:	Not Applicable

IMDG Classification

Proper Shipping Name:	Environmentally Hazardous Substance, Solid, N.O.S. (brodifacoum)
Hazard Class:	9
UN Number:	3077
Packing Group:	III
Label:	Not Applicable
Special Instructions:	Not Applicable

IATA Classification

Proper Shipping Name:	Environmentally Hazardous Substance, Solid, N.O.S. (brodifacoum)
Hazard Class:	9
UN Number:	3077
Packing Group:	III
Label:	Not Applicable
Special Instructions:	Not Applicable

Canadian Classification

Proper Shipping Name:	Environmentally Hazardous Substance, Solid, N.O.S. (brodifacoum)
Hazard Class:	9
UN Number:	3077
Packing Group:	III
Label:	Not Applicable
Special Instructions:	Not Applicable

SAFETY DATA SHEET

Product Name: Havoc® XT Blok
Issue Date: June 1st, 2015
Replaces: New Issue
SDS Number: HAC0065-CAN

15. REGULATORY INFORMATION

Pesticide Registration

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

Caution: Harmful if swallowed or absorbed through skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing. All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

Registration Number : 31138 PCP Act
EPA SARA Title III Classification
Section 311/312 Hazard Classes: Acute Health Hazard
Section 313 Toxic Chemicals: Not Applicable
California Proposition 65 : Not Applicable
CERLA/SARA 302 Reportable Quantity (RQ) : None
RCRA Hazardous Waste Classification (40 CFR 261): Not Applicable
TSCA Status: Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 1
Flammability: 1
Instability: 0

HMIS Hazard Ratings

Health: 1*
Flammability: 1
Reactivity: 0
Other:

0 - Minimal
1 - Slight
2 - Moderate
3 - Serious
4 - Extreme
* - Chronic

For Non-Emergency Questions About This Product Call:
1-800-621-8829
Neogen Corporation
Lexington, KY

Havoc® is a Registered Trademark of a Syngenta Group Company.

ALTHOUGH THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN (HEREINAFTER "INFORMATION") ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT, HACCO, INC., THE MANUFACTURER OR THE SELLER MAKES NO REPRESENTATIONS AS TO THE COMPLETENESS OR ACCURACY THEREOF. INFORMATION IS SUPPLIED UPON THE CONDITION THAT THE PERSONS RECEIVING IT WILL MAKE THEIR OWN DETERMINATION AS TO ITS SUITABILITY FOR THEIR PURPOSES PRIOR TO USE.

THE PRODUCT COVERED BY THIS INFORMATION SHEET IS FURNISHED "AS IS" BY HACCO, INC., THE MANUFACTURER OR THE SELLER, AND IS SUBJECT ONLY TO THE WARRANTIES, IF ANY, THAT APPEAR ON THE PRODUCT'S LABEL OR ARE OTHERWISE EXPRESSLY PROVIDED HEREIN.

EXCEPT AS EXPRESSLY PROVIDED ON THE PRODUCT'S LABEL OR OTHERWISE PROVIDED HEREIN, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, ARE MADE BY HACCO, INC., THE MANUFACTURER OR THE SELLER WITH REGARD TO THE PRODUCT OR USE OF THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.

EXCEPT AS EXPRESSLY STATED HEREIN, HACCO, INC., THE MANUFACTURER OR THE SELLER MAKES NO WARRANTY OF RESULTS TO BE OBTAINED BY USE OF THE PRODUCT COVERED BY THIS INFORMATION. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND THE TOTAL LIABILITY OF HACCO, INC., THE MANUFACTURER OR THE SELLER, SHALL BE LIMITED TO DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. NO AGENT OR EMPLOYEE OF HACCO, INC., THE MANUFACTURER OR THE SELLER IS AUTHORIZED TO AMEND THE TERMS OF THIS WARRANTY DISCLAIMER OR THE PRODUCT'S LABEL OR TO MAKE A REPRESENTATION OR RECOMMENDATION DIFFERENT FROM OR INCONSISTENT WITH THE LABEL OF THIS PRODUCT.

IN NO EVENT SHALL HACCO, INC., THE MANUFACTURER OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES AND THE BUYER AND USER WAIVE ANY RIGHT THEY MAY HAVE TO SUCH DAMAGES.