
Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

IntegraFlo, Product Code: 9072

Product Use

Livestock Feed Supplement.

Restrictions on Use

Use Only as Directed on Label.

Details of the supplier of the safety data sheet

Ralco Nutrition, Inc.
1600 Hahn Road
Marshall, MN 56258
Phone: 1-800-533-5306

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Acute Toxicity - Inhalation - Dust/Mist - Category 3

Hazardous to the Aquatic Environment - Acute - Category 3

Hazardous to the Aquatic Environment - Chronic - Category 3

GHS Label Elements**Symbol(s)****Signal Word**

Danger.

Hazard Statement(s)

Toxic if inhaled.

Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)**Prevention**

Use only outdoors or in a well-ventilated area.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid release to the environment.

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor.
Specific treatment (see label).

Storage

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Statement of Unknown Toxicity

< 5 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Other Hazards

May Contain Free Silica.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
1318-02-1	Zeolite	> 85

Section 4 - FIRST AID MEASURES

Inhalation

Avoid breathing dust/fume/gas/mist/vapors/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.

Skin

Wash thoroughly after handling.

Eyes

Rinse cautiously with water for several minutes.

Ingestion

Rinse mouth thoroughly with water.

Most Important Symptoms/Effects**Acute**

Toxic if inhaled.

Delayed

Causes damage to organs through prolonged or repeated exposure if inhaled.

Note to Physicians

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media**Suitable Extinguishing Media**

Water spray, regular dry chemical, carbon dioxide, fire-fighting foam.

Unsuitable Extinguishing Media

None Known.

Special Hazards Arising from the Chemical

None Known.

Fire Fighting Measures

Co-ordinate fire-fighting measures to the fire surroundings. Knock down dust with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow to enter drains or surface water.

Special Protective Equipment and Precautions for Firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Provide adequate ventilation. Use appropriate respiratory protection. Use personal protective equipment as required.

Methods and Materials for Containment and Cleaning Up

Collect in closed and suitable containers for disposal. Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental Precautions

Avoid release to the environment. Do not allow to enter into surface water or drains.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with incompatible materials.

Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Store in a dry place. Store in a closed container. Store in a secure area.

Incompatible Materials

None Known.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Iron oxide	1309-37-1
ACGIH:	5 mg/m ³ TWA respirable fraction
NIOSH:	5 mg/m ³ TWA as Fe dust and fume
	2500 mg/m ³ IDLH as Fe dust and fume
OSHA (US):	10 mg/m ³ TWA fume; 15 mg/m ³ TWA total dust; 5 mg/m ³ TWA respirable fraction
Mexico:	5 mg/m ³ TWA LMPE-PPT
	10 mg/m ³ STEL [LMPE-CT] as Fe
Calcium carbonate	471-34-1
NIOSH:	10 mg/m ³ TWA total dust; 5 mg/m ³ TWA respirable dust
Diatomaceous earth	61790-53-2
OSHA (US):	((80)/(% SiO ₂) mg/m ³ TWA); 20 mppcf TWA
Mexico:	10 mg/m ³ TWA LMPE-PPT inhalable fraction

Biological limit value

There are no biological limit values for any of this product's components.

Engineering Controls

Sufficient to maintain atmospheric concentrations below applicable regulatory limits.

Individual Protection Measures, such as Personal Protective Equipment
Eye/face protection

Wear face protection.

Skin Protection

Wear protective gloves and protective clothing.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Tan powder	Physical State	solid
Odor	odorless	Color	Tan
Odor Threshold	Not available	pH	Not available
Melting Point	Not available	Boiling Point	Not available
Freezing point	Not available	Evaporation Rate	Not available
Boiling Point Range	Not available	Flammability (solid, gas)	Not available
Autoignition	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	Not available	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	Not available		

Section 10 - STABILITY AND REACTIVITY

Reactivity

No known hazardous reactions.

Chemical Stability

The product is stable under storage at normal ambient temperatures.

Conditions to Avoid

Avoid contact with incompatible materials.

Incompatible Materials

None Known.

Hazardous decomposition products

None Known.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure**Inhalation**

Yes.

Skin Contact

Yes.

Eye Contact

Yes.

Ingestion

Yes.

Acute and Chronic Toxicity**Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Zeolite (1318-02-1)

Oral LD50 Rat 5000 mg/kg

Dermal LD50 Rabbit >2000 mg/kg

Inhalation LC50 Rat 2.4 mg/L 1 h

Iron oxide (1309-37-1)

Oral LD50 Rat >10000 mg/kg

White mineral oil (8042-47-5)

Oral LD50 Rat >5000 mg/kg

Calcium carbonate (471-34-1)

Oral LD50 Rat 6450 mg/kg

Cobalt carbonate (513-79-1)

Oral LD50 Rat 640 mg/kg

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

Zeolite	1318-02-1
IARC:	Monograph 68 [1997] (other than erionite clinoptilolite phillipsite mordenite non-fibrous Japanese zeolite synthetic zeolites) (Group 3 (not classifiable))

Iron oxide	1309-37-1
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Supplement 7 [1987]; Monograph 1 [1972] (Group 3 (not classifiable))
DFG:	Category 3B (could be carcinogenic for man, with the exception of non-bioavailable ferrous oxides)
Diatomaceous earth	61790-53-2
IARC:	Monograph 68 [1997] (Group 3 (not classifiable))
Cobalt carbonate	513-79-1
IARC:	Monograph 52 [1991] (Group 2B (possibly carcinogenic to humans))
DFG:	Category 2 (considered to be carcinogenic for man)
OSHA:	Present

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available.

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Zeolite	1318-02-1
Fish:	LC50 96 h Brachydanio rerio 1800 mg/L [semi-static]; LC50 96 h Oryzias latipes 3200 - 5600 mg/L [semi-static]; LC50 96 h Poecilia reticulata 1800 - 3200 mg/L [semi-static]
Algae:	EC50 96 h Desmodesmus subspicatus 18 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna 1000 - 1800 mg/L IUCLID
White mineral oil	8042-47-5
Fish:	LC50 96 h Lepomis macrochirus >10000 mg/L

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

No Classification assigned.

TDG Information:

No Classification assigned.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

Safety Data Sheet

Material Name: IntegraFlo

SDS ID: 9072

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Iron oxide	1309-37-1	Yes	Yes	Yes	Yes	Yes
Diatomaceous earth	61790-53-2	No	No	Yes	Yes	No

Not listed under California Proposition 65

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL.

Iron oxide	1309-37-1
	1 %

Component Analysis - Inventory

Zeolite (1318-02-1)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECL/KECL	KR - TCCA	CN	NZ	MX
No	No	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	No

Section 16 - OTHER INFORMATION

Summary of Changes

New SDS: 9/21/2015

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information**Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of Ralco's knowledge, information and belief at the date of preparation. The information provided is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The conditions or methods of said handling, storage, use, and disposal of this product are beyond our control. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expenses arising out of or connected with the handling, storage, use, or disposal of this product. The information provided relates only to the specific material designated, and may not be valid for such material used in combination with any other materials or in any process, unless specified in text.