

# **BVS LIQUID VITAMIN E**

### Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/11/2015 Revision date: 08/11/2015 Supersedes: N/A

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name

: BVS LIQUID VITAMIN E

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Premix for animal feeds.

### Details of the supplier of the safety data sheet

Best Veterinary Solutions, Inc.

325 NE Lakeland Dr. Wilmar, MN 56201 Phone: 320-235-861 Toll-free: 1-800-533-1899 Fax: 320-235-8629

#### Emergency telephone number

Emergency number

: 1-800-424-9300

### **SECTION 2: Hazards Identification**

#### Classification of the substance or mixture 2.1.

#### **GHS-US classification**

Flam. Liq. 3 H226 Eye Dam. 1 H318

#### 2.2. Label elements

#### **GHS-US labelling**

Hazard pictograms (GHS-US)



GHS02

GHS05

Signal word (GHS-US)

Hazard statements (GHS-US)

Precautionary statements (GHS-US)

### Danger

: H226 - Flammable liquid and vapour

H318 - Causes serious eye damage

: P210 - Keep away from heat, sparks, open flames, hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, ventilating, lighting equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P280 - Wear protective gloves, protective clothing, eye protection, face protection P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER

P370+P378 - In case of fire: Use dry sand, dry extinguishing powder, alcohol resistant foam to

extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to an approved waste disposal plant

#### 23 Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-US)

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product Identifier	%
n-Propanol	(CAS No) 71-23-8	5 - 10
Polyethylene glycol	(CAS No) 25322-68-3	5 - 10

08/06/2015

**BVS LIQUID VITAMIN E** 

Page 1

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an

unconscious person.

First-aid measures after inhalation

First-aid measures after skin contact

: IF INHALED: Remove to fresh air and keep at rest in a comfortable position for breathing.

IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at

least 15 minutes. If irritation develops or persists, get medical attention.

First-aid measures after eye contact

: IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Get medical attention immediately. Continue rinsing.

First-aid measures after ingestion

: IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison

control center or medical professional. Get medical attention if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

: May cause respiratory irritation.

Symptoms/injuries after skin contact

: May cause skin irritation.

Symptoms/injuries after eye contact

: Causes serious eye damage.

Symptoms/injuries after ingestion

: May cause gastrointestinal irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media

: Alcohol-resistant foam. Carbon dioxide. Dry chemical.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard

: Flammable liquid and vapour.

Explosion hazard

Beware of vapours accumulating to form explosive concentrations.
 No dangerous reactions known under normal conditions of use.

Reactivity

5.3. Advice for firefightersFirefighting instructions

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment. Prevent human exposure

to fire, furnes, smoke and products of combustion.

Protection during firefighting

Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

### 6.1.1. For non-emergency personnel

Protective equipment

: Wear Protective equipment as described in Section 8.

Emergency procedures

: Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment

Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment

: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Sweep or shovel spills into appropriate container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.

### 6.4. Reference to other sections

See Sections 8 and 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Keep away from sources of ignition - No smoking. Provide appropriate exhaust ventilation at places of dust forming. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

08/06/2015

BVS LIQUID VITAMIN E

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep container tightly closed. Store in a dry, cool and well-ventilated place.

### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

п-Propanol (71-23-8)	<u> </u>	
ACGiH TWA (ppm)	100 ppm .	
OSHA PEL (TWA) (mg/m³)	500 mg/m³	
OSHA PEL (TWA) (ppm)	200 ppm	
OSHA PEL (STEL) (mg/m³)	625 mg/m³ Vacated	
OSHA PEL (STEL) (ppm)	250 ppm Vacated	
Polyethylene glycol (25322-68-3)		
Remark (ACGIH)	OELs not established	
Remark (OSHA)	OELs not established	
Poly(oxy-1,2-ethanediyl), .alpha(1-oxo	-9-octadecenyl)omegahydroxy-, (Z)- (9004-96-0)	
Remark (ACGIH)	OELs not established	
Remark (OSHA)	OELs not established	

### 8.2. Exposure controls

Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

: Gloves. Wear chemical goggles and face shield in combination





Hand protection

: Use gloves chemically resistant to this material when prolonged or repeated contact could

Eye protection

 Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airbome particles.

Skin and body protection

: Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.

Respiratory protection

Use NIOSH-approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : No data available Odor No data available Odor Threshold : No data available рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available **Boiling** point 95.4 °C Flash point 53.3 °C

Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapour pressure No data available Relative vapour density at 20 °C No data available Relative density No data available Solubility No data available Log Pow : No data available

08/06/2015

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Log Kow No data available
Viscosity, kinematic No data available
Viscosity, dynamic No data available
Explosive properties No data available
Oxidising properties No data available
Explosive limits No data available

# 9.2. Other informationNo additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Heat. Ignition sources.

### 10.5. Incompatible materials

Strong acids, Strong bases. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

None under normal use.

### None under normal use.SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

n-Propanol (71-23-8)			
LD50 oral rat	1870 mg/kg		
LD50 dermal rabbit	4049 mg/kg	<del></del>	
LC50 inhalation rat (ppm)	> 13548 ppm/4h		
Polyethylene glycol (25322-68-3)			
LD50 dermal rabbit	> 20 ml/kg		

Poly(oxy-1,2-ethanediyl), .alpha(1-oxo-9-octadecenyl)omegahydroxy-, (Z)- (9004-96-0)			
LD50 oral rat	> 25 g/kg mouse		

Skin corrosion/irritation :: Not classified.

Serious eye damage/irritation 

Causes serious eye damage.

Respiratory or skin sensitisation

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Specific target organ toxicity (repeated exposure)

Not classified

Not classified

Not classified

Not classified

Not classified

Not classified

Aspiration hazard Not classified

Symptoms/injuries after inhalation
Symptoms/injuries after skin contact
Symptoms/injuries after eye contact
Symptoms/injuries after eye contact
Symptoms/injuries after ingestion
May cause respiratory irritation.
Causes serious eye damage.
May cause gastrointestinal irritation.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.3. Bloaccumulative potential

No additional information available

### Mobility in soll

No additional information available

#### 12.5. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Obtain the consent of pollution control authorities before discharging to wastewater treatment

plants.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the

product to be released into the environment.

### **SECTION 14: Transport information**

In accordance with DOT

Transport document description 1 NA1993 Combustible liquid, n.o.s., 3, III

DOT NA no. \* NA1993

Proper Shipping Name (DOT) Combustible liquid, n.o.s.

Department of Transportation (DOT) Hazard

Classes

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) 3 - Flammable liquid



Packing group (DOT) : III - Minor Danger

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

**DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Additional information

Other information : No supplementary information available.

Transport by sea

UN-No. (IMDG) 1993

Proper Shipping Name (IMDG) FLAMMABLE LIQUID, N.O.S.

Class (IMDG) 3 - Flammable liquids

Packing group (IMDG) III - substances presenting low danger

Air transport

UN-No.(IATA) 1993

Proper Shipping Name (IATA) FLAMMABLE LIQUID, N.O.S. Class (IATA) □ 3 - Flammable Liquids Packing group (IATA) III - Minor Danger

Instruction "cargo" (ICAO) : 366 : 355 Instruction "passenger" (ICAO)

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

BVS LIQUID VITAMIN E	
All components of this product are listed on the TSCA Inventory or are exempt	
SARA Section 311/312 Hazard Classes	Fire hazard
	Immediate (acute) health hazard

08/06/2015

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. International regulations

No additional information available.

## 15.3. US State regulations

#### California Proposition 65

This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### n-Propanol (71-23-8)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other Information**

Revision date

8/11/2015

Indication of changes

Revision 1.0: New SDS Created.

Other information

Author: KSZ.

NFPA health hazard

 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard


2 - Must be moderately heated or exposed to relatively high

temperature before ignition can occur.

NFPA reactivity

0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 2
Flammability : 2
Physical : 0
Personal Protection :

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

08/06/2015