

ZEP TKO 4-1GL

Version 2.0

Revision Date 02/01/2016

Print Date 02/17/2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name

ZEP TKO 4-1GL

Material number

000000000000096024

Manufacturer or supplier's details

Company

Zep Inc.

Address

: 1310 Seaboard Industrial Blvd., NW

Atlanta, GA 30318

Telephone

404-352-1680

Emergency telephone numbers			
For SDS Information	: Compliance Services 1-877-428-9937		
For a Medical Emergency	: 877-541-2016 Toll Free - All Calls Recorded		
For a Transportation Emergency	: CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616		

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	viscous
Colour	green
Odour	characteristic

GHS Classification

Eye imitation

: Category 2A

GHS Label element

Hazard pictograms

 \bigcirc

Signal word

: Warning

Hazard statements

: H319 Causes serious eye irritation.

Precautionary statements

: Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye imitation persists: Get medical advice/

attention.

Potential Health Effects



ZEP TKO 4-1GL

Version 2.0

Revision Date 02/01/2016

Print Date 02/17/2016

Carcinogenicity:

IARC

Group 1: Carcinogenic to humans

quartz (SiO2)

14808-60-7

ACGIH

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Mixture

Hazardous components

Chemical Name	CAS-No	Concentration [%]
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	68439-57-6	>= 5 - < 10
1-Propanaminium, 3-amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0	>= 1 - < 5
Fuller's earth	8031-18-3	>=1-<5
Alcohols, C10-14, ethoxylated	66455-15-0	>= 1 - < 5
METHACRYLIC ACID, polymer with ETHYL ACR	25212-88-8	>= 0.1 - < 1
quartz (SiO2)	14808-60-7	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled

If unconscious place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact

: This product is formulated for use on skin but should always be immediately washed off with plenty of water. Discontinue use if irritation and redness develop. If conditions persist for

more than 72 hours, consult a physician.

In case of eye contact

Rinse immediately with plenty of water for at least 15 minutes.

Remove contact lenses.

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye imitation persists, consult a specialist.

If swallowed

Keep respiratory tract clear.



ZEP TKO 4-1GL

Version 2.0

Revision Date 02/01/2016

Print Date 02/17/2016

DO NOT induce vomiting unless directed to do so by a

physician or poison control center.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media

 Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical Water spray jet

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2)

Carbon monoxide

Smoke

Sulphur oxides

Nitrogen oxides (NOx)

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Material can create slippery conditions.

Use non-slip safety shoes in areas where spills or leaks can

occur.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE



ZEP TKO 4-1GL

Version 2.0 Revision Date 02/01/2016 Print Date 02/17/2016

: Do not breathe vapours/dust. Advice on safe handling

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place.

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
		TWA (total dust)	30 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (Respirable dust)	0.05 mg/m3	NIOSH REL

Engineering measures

: Not applicable

Personal protective equipment

Respiratory protection

: In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection

Remarks

: No special protection is required.

Eye protection

Eye protection is not required while washing with this product. In the workplace, the use of safety glasses is recommended to avoid eye exposure during the handling of containers or

during spill clean-up.

Skin and body protection

: No special protection is required.

Hygiene measures

: When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

ZEP TKO 4-1GL

Zepinc

Version 2.0

Revision Date 02/01/2016

Print Date 02/17/2016

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: viscous

Colour

d green

Odour

characteristic

Odour Threshold

No data available

pΗ

5.5 - 6.5

Melting point/freezing point

: No data available

Boiling point

100 °C

Flash point

does not flash

Evaporation rate

: 1

Upper explosion limit

No data available

Lower explosion limit

: No data available

Vapour pressure

No data available

Relative vapour density

No data available

Density

0.96 g/cm3

Solubility(ies)

Water solubility

soluble in cold water, soluble in hot water

Solubility in other solvents

not determined

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature

: not determined

Thermal decomposition

: No data available

Viscosity

Viscosity, kinematic

: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Stable

Chemical stability

: Stable under normal conditions.

Possibility of hazardous

reactions

: No decomposition if stored and applied as directed.

Conditions to avoid

: No data available

Incompatible materials

None.



ZEP TKO 4-1GL

Version 2.0

Revision Date 02/01/2016

Print Date 02/17/2016

Hazardous decomposition

products

: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity

: Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity

: Acute toxicity estimate : > 40 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Skin corrosion/irritation

Product:

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Remarks: Irritating to eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Product:

Carcinogenicity -

: Not classifiable as a human carcinogen.

Assessment

Reproductive toxicity

No data available

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts:

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs.,

hydroxides, inner salts:

Fuller's earth:

Alcohols, C10-14, ethoxylated:

METHACRYLIC ACID, polymer with ETHYL ACR:

quartz (SiO2):

STOT - single exposure

No data available

STOT - repeated exposure



ZEP TKO 4-1GL

Version 2.0

Revision Date 02/01/2016

Print Date 02/17/2016

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Product:

Partition coefficient: n-

octanol/water

: Remarks: No data available

Mobility in soil No data available

Other adverse effects

No data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A. App.A

+ B).

Additional ecological

information

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Dispose of in accordance with local regulations.



ZEP TKO 4-1GL

Version 2.0

Revision Date 02/01/2016

Print Date 02/17/2016

Contaminated packaging

Empty remaining contents.
 Dispose of as unused product.
 Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

	Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
L	methanol	67 - 56-1	5000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
formaldehydc	50-00-0	100	

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

 Acute Health Hazard Chronic Health Hazard

ZEP TKO 4-1GL

Version 2.0 Revision Date 02/01/2016 Print Date 02/17/2016

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

dichloroacetic acid 79-43-6

> WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive

harm.

methanol 67-56-1 dichloroacetic acid 79-43-6

The components of this product are reported in the following inventories:

TSCA On TSCA Inventory

D\$L This product contains one or several components that are not on the

Canadian DSL nor NDSL.

AICS Not in compliance with the inventory NZI_oC Not in compliance with the inventory **PICCS** Not in compliance with the inventory **IECSC** Not in compliance with the inventory


Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA GHS Label Information:



ZEP TKO 4-1GL

Version 2.0

Revision Date 02/01/2016

Print Date 02/17/2016

Hazard pictograms

Signal word Hazard statements Precautionary statements Warning:

Causes serious eye irritation.

Prevention: Wash skin thoroughly after handling. Wear eye protection/face protection. **Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Version:	2.0
Revision Date:	02/01/2016
Print Date:	02/17/2016

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.