MetAMINO®

Material no. Specification Order Number 05388664

99002366 189619

Version Revision date Print Date Page

1.2 / US 11/30/2016 01/21/2017 1/12



1. Identification

1.1. **Product identifier**

Trade name

MetAMINO®

CAS-No.

59-51-8

1.2. Recommended use of the chemical and restrictions on use

Relevant applications identified

Feed additive

1.3. Details of the supplier of the safety data sheet

Company

Evonik Corporation USA 299 Jefferson Road

Parsippany, NJ 07054-0677

USA

Telephone

973-929-8000

Telefax

973-929-8040

Email address

Product-Regulatory-Services@Evonik.com

24 HOUR EMERGENCY TELEPHONE NUMBERS:

CHEMTREC - US &

800-424-9300

CANADA:

CHEMTREC MEXICO:

01-800-681-9531

CHEMTREC

+1 703-527-3887 (collect calls accepted)

INTERNATIONAL:

Product Regulatory

973-929-8060

Services

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation 29CFR 1910.1200

Remarks

Not a hazardous substance or mixture.

2.2. Label elements

Statutory basis

Classification according to Regulation 29CFR 1910.1200

Remarks

Not a hazardous substance or mixture.

2.3. Other hazards

Dust may form explosive mixture in air.

inhalation

No hazard expected in normal use. No hazard expected in normal use.

Skin Eyes

No hazard expected in normal use.

Ingestion

No hazard expected in normal use.

MetAMINO®

 Material no.
 99002366

 Specification
 189619

 Order Number
 05388664

Version Revision date Print Date Page 1.2 / US 11/30/2016 01/21/2017 2 / 12



3.1. Substances

DL-Methionine

>= 99%

CAS-No.

59-51-8

Remarks

Not a hazardous substance or mixture.

Other information

This material is classified as not hazardous under OSHA regulations.

This product is intended for FDA regulated uses only.

3.2. Mixtures

not applicable

No hazardous ingredients

4. First aid measures

4.1. Description of first aid measures

Inhalation

In case product dust is released:

Possible discomfort: cough, sneezing

Move victims into fresh air.

Skin contact

No hazards which require special first aid measures.

Eve contact

Possible discomfort is due to foreign substance effect.

Rinse thoroughly with plenty of water keeping eyelid open.

In case of persistent discomfort: Consult an ophthalmologist.

Indestion

Have the mouth rinsed with water.

After absorbing large amounts of substance:

Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

None known

Hazards

None known

4.3. Indication of any immediate medical attention and special treatment needed

After absorbing large amounts of substance:

Possible discomfort: nausea, vomiting

Treatment of symptoms, administration of activated charcoal, acceleration of the gastro-intestinal tract.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water, Foam, mist
Unsuitable extinguishing media: Carbon dioxide (CO2)

5.2. Special hazards arising from the substance or mixture

May be released in case of fire: hydrocyanic acid, flammable smouldering gases, NOX. sulphur oxides, **car**bon monoxide, carbon dioxide.

MetAMINO®

 Material no.
 99002366
 Version
 1.2 / US

 Specification
 189619
 Revision date
 11/30/2016

 Order Number
 05388664
 Page
 3 / 12



5.3. Advice for firefighters

Contaminated fire-extinguishing water must be disposed of in accordance with the regulations issued by the appropriate local authorities.

Fire residues should be disposed of in accordance with the regulations.

In the event of fire, wear self-contained breathing apparatus.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Keep unauthorized persons away.

6.2. Environmental precautions

Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

6.3. Methods and material for containment and cleaning up

Absorb mechanically avoiding production of dust.

7. Handling and storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Take precautionary measures against static charges, keep away from sources of ignition.

Avoid dust formation.

Combustible

Storage

Store in a cool and shaded area.

Keep containers dry and tightly closed to avoid moisture absorption and contamination.

German storage class

11 - Combustible Solids

Dust explosion class

St1

Method:

VDI Guideline 2263 sheet 1

Maximum rate of pressure rise:

88 bar/s

Standardized max. rate of pressure increase, KSt:

85bar·m/s

8. Exposure controls/personal protection

8.1. Control parameters

exposure lim	exposure limit for dust			
CAS-No. Control parameters type of exposure	3 mg/m3 Respirable fraction. Suitable measuring processes are: NIOSH method 0500 NIOSH method 0600	Time Weighted Average (TWA):(ACGIH)		
Control parameters type of exposure	10 mg/m3 Inhalable particulate.	Time Weighted Average (TWA):(ACGIH)		

MetAMINO®

Material no. Specification Order Number 99002366 189619

05388664

Version Revision date Print Date Page

1.2 / US 11/30/2016 01/21/2017 4/12



Control parameters	15 mg/m3	Time Weighted Average (TWA) Permissible Exposure Limit (PEL)(OSHA Z1)
type of exposure	Total dust.	
Control parameters	5 mg/m3	Time Weighted Average (TWA) Permissible Exposure Limit (PEL)(OSHA Z1)
type of exposure	Respirable fraction. Suitable measuring processes are: NIOSH method 0500 NIOSH method 0600	

Other information

Contains no substances with occupational exposure limit values.

DNEL/DMEL values

Remarks

No substance-related safety assessment is necessary / has been conducted

for this product.

PNEC values

Remarks

No substance-related safety assessment is necessary / has been conducted

for this product.

8.2. **Exposure controls**

Engineering measures

Use process enclosures, local exhaust ventilation or other engineering controls to control airborne exposure.

Take measures to prevent the build up of electrostatic charge.

Personal protective equipment

Respiratory protection

A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

Hand protection

Glove material

Nitrile, for example, Dermatril 740, Kächele-Cama Latex GmbH (KCL), Germany

Material thickness

0.11 mm

Break through time

8 h

Method

DIN EN 374

Glove material

Natural rubber (NR), for example, Cama Clean 708, Kächele-Cama Latex GmbH (KCL),

Germany

Material thickness

Break through time 8 h

0.5 mm

Method

DIN EN 374

The above mentioned hand protection is based on knowledge of the chemistry and anticipated uses of this product but it may not be appropriate for all workplaces. A hazard assessment should be conducted prior to use to ensure suitability of gloves for specific work environments and processes prior to use.

Eye protection

Safety glasses with side-shields

If dust occurs: basket-shaped glasses

Skin and body protection

No special protective equipment required.

MetAMINO®

Version 1.2 / US Material no. 99002366 Revision date 11/30/2016 Specification 189619 Print Date 01/21/2017 Order Number 05388664 Page 5/12



Hygiene measures

Wash face and/or hands before break and end of work.

Cleanse and apply cream to skin after work.

Protective measures

Handle in accordance with good industrial hygiene and safety practice.

If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

physical state

solid

Colour

white to light brown

Form

solid

Odour

characteristic

Odour Threshold

<1 ppb

pН

5.6 - 6.1

(10 g/l)

(25°C)

Melting point/range

281 °C

decomposition

Boiling point/range

not applicable

Flash point

not applicable

solid

Evaporation rate

No data available

Flammability (solid, gas)

1200 s

Method:

UN method N.1

Burning Time

Lower explosion limit

dust:

30 g/m3

Upper explosion limit

No data available

Vapour pressure

< 0.0000001 hPa

Method:

calculated Modified Grain Method

Vapour density

No data available

Relative vapour density

no data available

Relative density

No data available

Water solubility

33.5 g/l (25 °C)

Related to substance:

pure substance

Partition coefficient: n-

log Pow:

-1.87

octanol/water

Related to substance:

pure substance

Autoignition temperature 330 °C

MetAMINO®

 Material no.
 99002366
 Versi Revis Revis Print

 Specification
 189619
 Print Print Print

 Order Number
 05388664
 Page

 Version
 1.2 / US

 Revision date
 11/30/2016

 Print Date
 01/21/2017

 Page
 6 / 12



Method:

VDI Guideline 2263 sheet 1

(BAM-furnace)

Standard commercial product with characteristic grain size distribution is

normally flammable.

Thermal decomposition

215 °C

TG (thermal gravimetric analysis)

Viscosity, dynamic

not applicable

9.2. Other information

Explosiveness

Not to be expected in view of the structure

carbonisation point

210 °C

Bulk density

610 - 750 kg/m3

glow temperature

> 400 °C

Method:

VDI 2263

(140 °C)

Minimum ignition energy

> 10 mJ

Classification: Normal combustability

Method: VDI Guideline 2263 sheet 1

mean grain size:

48 µm

sieve fraction

without inductance

maximum absolute

7.8 bar

explosive pressure Metal corrosion

no data available

speed of hydrolysis

half-life period:

1 years (25 °C)

Burning number

BZ 5 - burns out with flames or shower of sparks.

Method:

VDI 2263

10. Stability and reactivity

10.1. Reactivity

No further information available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

Dust can form an explosive mixture in air.

10.4. Conditions to avoid

See chapter

7.2. Conditions for safe storage, including any incompatibilities

10.5. Incompatible materials

No further information available

MetAMINO®

Material no. Specification Order Number 05388664

99002366 189619

Version Revision date Print Date Page

1.2 / US 11/30/2016 01/21/2017 7/12



10.6. Hazardous decomposition products

No hazardous decomposition products known.

Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

LD50 Rat: > 10000 mg/kg

Acute inhalation toxicity

LC0 Rat: 5.25 mg/l / 4 h

Method:

OECD Test Guideline 403

Acute dermal toxicity

no data available

Skin irritation

Rabbit

No skin irritation

Method:

OECD Test Guideline 404

Eye irritation

Rabbit

slightly eye irritation

OECD Test Guideline 405

Sensitization

Guinea pig: Does not cause skin sensitisation.

Method:

OECD Test Guideline 406

Repeated dose toxicity

Oral Rat(male) / 90-day

NOAEL: Method:

1253 mg/kg OECD TG 408

Test substance:

comparable product

Oral Rat(female) / 90-day

NOAEL:

1423 mg/kg

Method:

OECD TG 408

Test substance:

comparable product

Assessment of STOT single

exposure

Assessment:

no data available

Assessment of STOT repeat

exposure

Assessment:

The classification criteria are not met based on the

available data.

Risk of aspiration toxicity

no data available

Gentoxicity in vitro

Microorganisms, cell cultures

none mutagenic / genotoxic effects

Method:

literature

Ames test Salmonella typhimurium

negative

Method:

OECD TG 471

Carcinogenicity

no data available

carcinogenicity assessment

Contains no carcinogenic substances as defined by NTP, IARC and/or

MetAMINO®

99002366 Material no. Specification 189619 05388664 Order Number

Version Revision date Print Date Page

1.2 / US 11/30/2016 01/21/2017 8 / 12



OSHA.

Toxicity to reproduction

NOEL (No Observed Effect

300 mg/kg

Level) of parents: Method:

OECD Test Guideline 415

No evidence of effects of reprodutive / developmental toxicity.

Human experience

gastro-intestinal symptoms: nausea, vomiting

Side-effects were observed in the event of higher dosage (10 g)

12. **Ecological information**

12.1. Toxicity

Toxicity to fish

LC50 (Brachydanio rerio): > 3200 mg/l / 96 h

Method: OECD 203

NOEC (Brachydanio rerio): 3200 mg/l / 96 h

Method: OECD 203

Toxicity in aquatic invertebrates

NOEC Daphnia magna: 220 mg/l / 48 h

Method: OECD TG 202

EC50 Daphnia magna: 324 mg/l / 48 h

Method: OECD TG 202

Toxicity to algae

EC50 static test Desmodesmus subspicatus: > 1000 mg/l / 72 h

End point: Biomass Analytical monitoring: yes Method: OECD TG 201

EC50 static test Desmodesmus subspicatus: > 1000 mg/l / 72 h

End point: growth rate Analytical monitoring: yes Method: OECD TG 201

Toxicity to bacteria

EC10 Pseudomonas putida: 2000 mg/l / 18 h

Method: UBA method

12.2. Persistence and degradability

Biodegradability

rapidly biodegradable

OECD TG 301 A Method:

Biochemical Oxygen Demand

480 mg/g

(BOD)

Concentration:

(BOD5)

12.3. Bioaccumulative potential

Bioaccumulation

log Pow: see chapter 9

MetAMINO®

Material no. 99002366 Specification 189619 Order Number 05388664

Version Revision date Print Date Page

1.2 / US 11/30/2016 01/21/2017 9/12



12.4. Mobility in soil

Mobility

No data available

12.5. Other adverse effects

Further Information

No further information available

13. Disposal considerations

13.1. Waste treatment methods

Product

Waste must be disposed of in accordance with federal, provincial and local regulations.

Uncleaned packaging

Packaging material should be recycled or disposed of in accordance with federal, state and local regulations.

14. Transport information

Not dangerous according to transport regulations.

14.1. UN number:

14.2. UN proper shipping name:14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards (Marine

pollutant):

14.6. Special precautions for user:

Yes

Not dangerous according to transport regulations.

15. Regulatory information

US Federal Regulations

OSHA

If listed below, chemical specific standards apply to the product or components:

None listed

Clean Air Act Section (112)

If listed below, components present at or above the de minimus level are hazardous air pollutants:

None listed

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

MetAMINO®

 Material no.
 99002366
 Version
 1.2 / US

 Specification
 189619
 Revision date Print Date
 01/21/2017

 Order Number
 05388664
 Page
 10 / 12



Remarks

This material does not contain any components with a SARA 302 RQ.

SARA 304 - Emergency Release Notification

Remarks

This material does not contain any components with a section 304 EHS

RQ.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Remarks

This material does not contain any components with a CERCLA RQ.

SARA Title III Section 311/312 Hazard Categories

The product meets the criteria only for the listed hazard classes:

No SARA Hazards

SARA Title III Section 313 Reportable Substances

If listed below, components are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

None listed

Toxic Substances Control Act (TSCA)

If listed below, non-proprietary substances are subject to export notification under Section 12 (b) of TSCA:

None listed

Other US Federal Regulatory Information

Observe national regulations.

State Regulations

California Proposition 65

US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)
This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

International Chemical Inventory Status

Unless otherwise noted, this product is in compliance with the inventory listing of the countries shown below. For information on listing for countries not shown, contact the Product Regulatory Services Department.

Europe (EINECS/ELINCS) listed/registered

USA (TSCA) listed/registered

Canada (DSL) listed/registered

MetAMINO®

Material no.
Specification
Order Number

99002366 189619 05388664 Version Revision date Print Date Page 1.2 / US 11/30/2016 01/21/2017 11 / 12



Australia (AICS)

listed/registered

Japan (MITI)

listed/registered

Philippines (PICCS)

listed/registered

China

listed/registered

Switzerland

not listed/registered

An employer using HMIS/NFPA labeling must through training ensure that its employees are fully aware of the hazards of the chemicals used.

HMIS Ratings

Health:

0

Flammability:

Physical Hazard

1

16. Other information

Further information

Revision date

11/30/2016

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

Legend

ACC American Chemistry Council

ACGIH American Conference of Governmental Industrial Hygenists

ACS Advisory Committee on Sustainability

ADI Acceptable Daily Intake

ASTM American Society for Testing and Materials

ATP Adaptation to Technical Progress
BCF Bioconcentration factor

BOD Biochemical oxygen demand

c.c. closed cup

CAO Cargo Aircraft Only
Carc Carcinogen

CAS Chemical Abstract Services

CDN Canada

CEPA Canadian Environmental Protection Act

CERCLA Comprehensive Environmental Response – Compensation and Liability Act

CFR Code of Federal Regulations

CMR carcinogenic-mutagenic-toxic for reproduction

MetAMINO®

 Material no.
 99002366
 Version
 1.2 / US

 Specification
 189619
 Revision date Print Date
 01/21/2017

 Order Number
 05388664
 Page
 12 / 12



COD Chemical oxygen demand

DIN German Institute for Standardization
DMEL Derived minimum effect level
DNEL Derived no effect level
DOT Department of Transportation
EC50 half maximal effective concentration
EPA Environmental Protection Agency
ErC50 Reduction of Growth Rate

ERG Emergency Response Guide Book FDA Food and Drug Administration

GHS Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

GLP Good Laboratory Practice
GMO Genetic Modified Organism
HCS Hazard Communication Standard
HMIS Hazardous Materials Identification System
IARC International Agency for Research on Cancer
IATA International Air Transport Association

IBC Intermediate Bulk Container

ICAO-TI International Civil Aviation Organization- Technical Instructions

ICCA International Council of Chemical Association

ID Identification number

IMDG International Maritime Dangerous Goods

IUPAC International Union of Pure and Applied Chemistry
ISO International Organization For Standardization

LC50 50 % Lethal Concentration

LD50 50 % Lethal Dose **L(E)C50** LC50 or EC50

LOAEL Lowest observed adverse effect level

LOEL Lowest observed effect level

MARPOL International Convention for the Prevention of Pollution from Ships

NFPA National Fire Protection Association
NOAEL No observed adverse effect level
NOEC no observed effect concentration

NOEL no observed effect level

o. c. open cup

OECD Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit

OSHA Occupational Safety and Health Administration

PBT Persistent, bioaccumulative, toxic
PEC Predicted effect concentration
PNEC Predicted no effect concentration

RQ Reportable Quantity SDS Safety Data Sheet

STOT Specific Target Organ Toxicity

UN United Nations

vPvB very persistent, very bioaccumulative

voc volatile organic compounds

WHMIS Workplace Hazardous Materials Information System

WHO World Health Organization