

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/9

Acid-A-Foam™ EVO

Revision

0

Revision date 2018-07-20

SECTION 1: Identification of	Revision date 201 f the substance/mixture and of the company/undertaking					
1.1. Product Identifier						
Product name	Acid-A-Foam™ EVO					
Product code	418089					
1.2. Relevant identified uses of	the substance or mixture and uses advised against					
Description	Cleaner.					
1.3. Details of the supplier of th	e safety data sheet					
Company	Neogen Corporation					
Address	620 Lesher Place					
	Lansing MI 48912					
NAT- C	USA					
Web	www.neogen.com					
Telephone	517-372-9200/800-234-5333					
Email	regulatorysupport@neogen.com					
1.4. Emergency telephone num	ber					
Emergency telephone number	1-800-234-5333					
Further Information						
	HACCO, Inc. is a wholly-owned subsidiary of Neogen Corporation.					
Manufactured By:	HACCO, Inc.					
	110 Hopkins Dr.					
Hotling(s):	Randolph, WI 53956-1316 U.S.A.					
Hotline(s):	Medical: United States (1-800-498-5743), International (1-651-523-0318). Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).					
SECTION 2: Hazards identif	ication					
2.1. Classification of the substan	nce or mixture					
2.1.2. Classification - GHS	Skin Corr. 1A: H314; STOT SE 3: H335; Aquatic Chronic 3: H412;					
2.2. Label elements						
Hazard pictograms						

Copyright @ 2018 ChemSoft. All rights reserved.

Signal Word

Hazard Statement

Powered by Chems of EH&S

STOT SE 3: H335 - May cause respiratory irritation.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Print date 2018-07-20

Danger

Revision 0 Revision date 2018-07-20

2.2. Label elements						
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.					
Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.					
Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.					
	P264 - Wash thoroughly after handling.					
	P271 - Use only outdoors or in a well-ventilated area.					
	P273 - Avoid release to the environment.					
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.					
Precautionary Statement:	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.					
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.					
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.					
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact					
	lenses, if present and easy to do. Continue rinsing.					
	P310 - immediately call a POISON CENTER/doctor/ .					
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.					
	P321 - Specific treatment (see on this label).					
	P363 - Wash contaminated clothing before reuse.					
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.					
Storage	P405 - Store locked up.					
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an appropriate waste site or reclaim (in accordance with local/regional/national/international regulation).					
2.3. Other hazards						
Other hazards	No data is available on this product.					

SECTION 3: Composition/Information on Ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Glycolic acid		79-14-1	201-180-5		1 - 10%	Skin Corr. 1B: H314; Acute Tox, 4: H332;
Acrytic acid	607-061-00-8	79-10-7	201-177-9		1 - 10%	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1A: H314; Aquatic Acute 1: H400;
Hydrogen chloride	017-002-00-2	7647-01-0	231-595-7		1 - 10%	Acute Tox. 3: H331; Skin Corr. 1A: H314;
Lauryl Dimethyl Amine Oxide		1643-20-5	216-700-6		1 - 10%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Sulphamic acid	016-026-00-0	5329-14-6	226-218-8		1 - 10%	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Aquatic Chronic 3: H412;
D-Glucopyranose, oligomers, decyl octyl glyosides 100%		68515-73-1	500-220-1		0.5 - 1%	Skin Irrit. 2: H315; Eye Dam. 1: H318;

Further Information

The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First ald measures

4.1. Description of first ald measures

Revision date 0018-07-20

4.1. Description of first	aid measures						
Inhalation	In case of accident by inhalation: remove casualty to fresh air and keep at rest.						
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.						
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.						
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person.						
4.2. Most important syn	nptoms and effects, both acute and delayed						
Inhalation	May cause irritation to respiratory system.						
Eye contact	Causes severe burns. Risk of serious damage to eyes.						
Skin contact	Causes severe burns.						
Ingestion	Ingestion may cause nausea and vomiting. May cause irritation to mucous membranes.						
4.3. Indication of any irr	nmediate medical attention and special treatment needed						
Inhalation	Seek medical attention if irritation or symptoms persist.						
Eye contact	Seek medical attention.						
Skin contact	Seek medical attention if irritation or symptoms persist.						
Ingestion	If you feel unwell, seek medical advice (show the label where possible).						
SECTION 5: Firefight							
5.1. Extinguishing media							
	Use extinguishing media appropriate to the surrounding fire conditions.						
.2. Special hazards ari	sing from the substance or mixture						
	Heat will increase pressure in sealed containers. Cool fire exposed containers with waterspray. Burning produces irritating, toxic and obnoxious fumes.						
5.3. Advice for firefighter	rs						
	In case of fire and/or explosion do not breathe fumes. Wear suitable respiratory equipment when						
	necessary.						
SECTION 6: Acciden	tal release measures						
.1. Personal precaution	ns, protective equipment and emergency procedures						
	Avoid contact with skin and eyes. Wear suitable protective clothing and eye/face protection. Weat suitable respiratory equipment when necessary. Wash hands after handling the product. Ensure adequate ventilation of the working area.						
.2. Environmental preca	autions						
	Do not allow product to enter drains. Prevent further spillage if safe,						
.3. Methods and materl	al for containment and cleaning up						
4. Reference to other s	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.						
4. Releience to other s							
	See section 2, 8 & 13 for further information.						
SECTION 7: Handling	and storage						
1. Precautions for safe	handling						
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid conta with eyes and skin. Wear suitable protective clothing and eye/face protection. Ensure adequate ventilation of the working area.						
	To minds of the working area.						

Revision

n

Revision date 2018-07-20

7.2. Conditions for safe stor	age, including any incompatibilities
-------------------------------	--------------------------------------

Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers. Store at temperatures between 20 °C and 25 °C.

7.3. Specific end use(s)

See section 1,2 for further information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

Exposure Limit Values

Acrylic acid	ACGIH TLV TWA: 2 ppm	ACGIH TLV STEL: -		
	Notations: Skin; A4	OSHA PEL 8hr TWA ppm: 💌		
	OSHA PEL 8hr TWA mg m3: -	Skin Designation: -		
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:		
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:		
Hydrogen chioride	ACGIH TLV TWA: -	ACGIH TLV STEL: C 2 ppm		
	Notations: A4	OSHA PEL 8hr TWA ppm: (C)5		
	OSHA PEL 8hr TWA mg m3: (C)7	Skin Designation:		
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:		
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:		

8.2. Exposure controls







Appropriate engineering controls

Ensure adequate ventilation of the working area.

Individual protection measures

Wear suitable protective clothing.

Eye / face protection

...

Skin protection - Hand

Wear:. Approved safety goggles.

Skin protection - Han protection Wear:. Chemical resistant gloves.

Skin protection - Other

Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Occupational exposure controls

Keep away from food, drink and animal feed and/ or feed products.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision **Revision date** 2018-07-20

ก

9.1. Information on basic physical and chemical properties

State Liquid Color Clear Odor Characteristic Odour threshold No data available pΗ ≈ 0.42 **Melting** point No data available Freezing Point No data available **Bolling point** > 100 °C Flash point No data available **Evaporation rate** No data available Flammability fimits No data available Vapor pressure No data available Vapor density No data available Relative density No data available No data available **Fat Solubility** Partition coefficient No data available Autoignition temperature No data available Viscosity No data available Explosive properties No data available Oxidising properties No data available Solubility Soluble in water

9.2. Other information

Conductivity No data available Surface tension No data available Gas group No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Heat, sparks and open flames. Heat will increase pressure in sealed containers.

10.5. Incompatible materials

Alkalis. Oxidizing agents.

10.6. Hazardous decomposition products

Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity No data available.

Revision 0 Revision date 2018-07-20

Skin corrosion/irritation	Causes severe burns.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens. Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112.
Reproductive toxicity	No data available.
STOT-single exposure	No data available.
STOT-repeated exposure	No data available.
Aspiration hazard	No data available.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.
SECTION 12: Ecological light	ormation
12.2. Persistence and degradat	bility
	No data available.
12.3. Bioaccumulative potential	
	No data available.
Partition coefficient	
	Acid-A-Foam™ EVO No data available
12.4. Mobility in soil	Acid-A-Foam™ EVO No data available
12.4. Mobility in soil	Acid-A-Foam™ EVO No data available No data available.
12.4. Mobility in soil 12.5. Results of PBT and vPvB	No data available.
	No data available.
	No data available.
12.5. Results of PBT and vPvB	No data available.
12.5. Results of PBT and vPvB	No data available. assessment No data available. No data available.
12.5. Results of PBT and vPvB 12.6. Other adverse effects	No data available. assessment No data available. No data available. siderations
12.5. Results of PBT and vPvB 12.6. Other adverse effects SECTION 13: Disposal cons	No data available. assessment No data available. No data available. siderations
12.5. Results of PBT and vPvB 12.6. Other adverse effects SECTION 13: Disposal cons	No data available. assessment No data available. No data available. siderations
12.5. Results of PBT and vPvB 12.6. Other adverse effects SECTION 13: Disposal cons	No data available. assessment No data available. No data available. siderations
12.5. Results of PBT and vPvB 12.6. Other adverse effects SECTION 13: Disposal cons	No data available. assessment No data available. No data available. In deta available. In deta available available. In deta available availa
12.5. Results of PBT and vPvB 12.6. Other adverse effects SECTION 13: Disposal cons 13.1. Waste treatment methods Disposal methods	No data available. assessment No data available. No data available. In deta available. In deta available available. In deta available availa

Revision 0 Revision date 2018-07-20

Hazard pictograms 14.1. UN number UN2922 14.2. UN proper shipping name CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROCHLORIC ACID) 14.3. Transport hazard class(es) DOT 8 Subsidiary risk 6.1 **IMDG** 8 Subsidiary risk 6,1 IATA 8 Subsidiary risk 6,1 14.4. Packing group П Packing group 14.5. Environmental hazards Environmental hazards Nο Marine pollutant No 14.6. Special precautions for user No data available. 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable. DOT Hazard ID 86 **Tunnel Category** (E) **IMDG EmS Code** F-A S-B IATA Packing Instruction (Cargo) 855 Maximum quantity 30 L Packing Instruction 851 (Passenger) Maximum quantity 1 L SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Regulations Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.

Revision

0

Revision date 2018-07-20

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

US State Regulations:

New Jersey Right-to-Know Hazardous Substance List:

Acrylic acid (2-Propenoic acid):Y Hydrogen chloride (Hydrochloric acid):Y Sulphamic acid(Sulfamic acid): Y

Pennsylvania Right-to-Know Hazardous Substance List:

Acrylic acid (2-Propenoic acid):Y Hydrogen chloride (Hydrochloric acid):Y Sulphamic acid(Sulfamic acid): Y.

15.2. Chemical safety assessment

No data is available on this product.

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Acrylic acid (2-Propenolc acid)	Υ	Υ	Y 1.0	N	N	Υ	N	N	N
Hydrogen chloride (Hydrochloric acid)	Υ	Υ	Y 1.0	N	N	Υ	Υ	Y 500	Y 5,000
Sulphamic acid (Sulfamic acid)	Υ	N	N	N	N	N	N	N	N

SECTION 16: Other Information

Other information

Text of Hazard	Statements	in
Section 3		

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Acute Tox. 4: H332 - Harmful if inhaled.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H312 - Harmful in contact with skin.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Acute Tox. 3: H331 - Toxic if inhaled. Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Flam, Liq. 2: H225 - Highly flammable liquid and vapour.

Further information

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS

Revision

0

Revision date 2018-07-20

Further information	
	PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.

*		