OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/13/2014

Reviewed on 11/13/2014

### 1 Identification

- · Product identifier
- · Trade name: Pennchlor 50
- · Product number: Type A Medicated Article (Premix) -For use in the manufacture of medicated animal feeds.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Pharmgate

Address: 14040 Industrial Rd.

Omaha, NE 68144 Phone: (402) 330-6000 Fax: (402) 330-6004

\*Emergency telephone number: (800) 832-8303

#### 2 Hazard(s) Identification

#### · Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



**GHS07** 

- Signal word Warning
- · Hazard-determining components of labeling:

calcium carbonate

· Hazard statements

Causes skin and eye irritation. May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention,

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

(Contd. on page 2)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/13/2014

Reviewed on 11/13/2014

Trade name: Pennchlor 50

(Contd. of page 1)

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 1 Reactivity = 0

## 3 Composition/information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous Components:

471-34-1 calcium carbonate

0.2-88.58%

♦ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320

8042-47-5 Mineral Oil

0.2-4.0%

# d First ald measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness, place patient securely on side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist, consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/13/2014

Reviewed on 11/13/2014

Trade name: Pennchlor 50

Dispose of the collected material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with occupational exposure limits:

#### 471-34-1 calcium carbonate

PEL Long-term value: 15\* 5\*\* mg/m³

\*total dust \*\*respirable fraction

REL Long-term value: 10\* 5\*\* mg/m³

\*total dust \*\*respirable fraction

TLV TLV withdrawn

#### 8042-47-5 Mineral Oil

ACGIH TLV Short-term value: 10 mg/m3

Long-term value: 5 mg/m<sup>3</sup>

OSHA PEL Long-term value: 5 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/13/2014 Reviewed on 11/13/2014

Trade name: Pennchlor 50

(Contd. of page 3)

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection: Tightly sealed goggles

### 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Meal Color: Brown

Odor:
Odor threshold:
Not determined.

pH-value:
Not applicable.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Not determined.
Not determined.

\*\*Flash point:
\*\*Flammability (solid, gaseous):

Not determined.

· Ignition temperature:

Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Not determined.

Vapor pressure: Not applicable.

· Density:

Relative densityNot determined.Vapour densityNot applicable.Evaporation rateNot applicable.

· Solubliity in / Miscibility with

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable.

Kinematic: Not applicable.

(Contd. on page 5)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/13/2014

Reviewed on 11/13/2014

Trade name: Pennchlor 50

(Contd. of page 4)

Solvent content:

Organic solvents:

0.0 % 100<sub>-</sub>0 %

Sollds content: Other information

No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye:

Irritating effect.

Causes serious eye irritation.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

### · IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

### · NTP (National Toxicology Program)

None of the ingredients are listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

### 12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- Results of PBT and vPvB assessment
- · PBT: Not applicable.

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/13/2014

Reviewed on 11/13/2014

Trade name: Pennchlor 50

(Contd. of page 5)

- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

· UN-Number

· DOT, ADR, ADN, IMDG, IATA

Non-Regulated Material

· UN proper shipping name

- DOT, ADR, ADN, IMDG, IATA

Non-Regulated Material

· Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class

Non-Regulated Material

· Packing group

· DOT, ADR, IMDG, IATA

Non-Regulated Material

· Environmental hazards:

· Marine pollutant:

No

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

: UN "Model Regulation":

#### is Beaudialing Fastoury

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

57-62-5 chlortetracycline

(Contd. on page 7)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/13/2014

Reviewed on 11/13/2014

Trade name: Pennchlor 50

(Contd. of page 6)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



#### · Signal word Warning

### · Hazard-determining components of labeling:

calcium carbonate

#### · Hazard statements

Causes skin and eye irritation.

May cause respiratory irritation.

#### · Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

#### · State Right to Know

otate ragin to rator		
57-62-5 chlortetracycline		70-90%
471-34-1 calcium carbonate	◆ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	25-50%
8042-47-5 Mineral Oil	Control Contro	2-12%
All ingredients are listed.	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	

(Contd. on page 8)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/13/2014

Reviewed on 11/13/2014

Trade name: Pennchlor 50

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

de Other intermedicie

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 11/13/2014 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Skin Irrit, 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

\* Data compared to the previous version altered.

(877) 204-9106 SDS created by MSDS Authoring Services www.msdsauthoring.com