

Clinafarm[®] smoke generator

0138-5210-01


For the control of *Aspergillus* organisms
in cleaned poultry and turkey hatchery equipment
prior to the introduction of eggs.

ACTIVE INGREDIENT:

Imazalil (enilconazole): 1-[2-(2,4-dichlorophenyl)-2-(2-propenyloxy)
ethyl]-1H-imidazole 14.9% w/w

INERT INGREDIENTS 85.1%

5 grams Imazalil (enilconazole) per canister Total 100.0% w/w



TM

KEEP OUT OF REACH OF CHILDREN
DANGER

See Side Panel for Additional Precautionary Statements

Net contents: 24 – 33.4 gram canisters

 **Schering-Plough**
Animal Health

Clinafarm[®] smoke generator

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS DANGER

The unignited content of the canister contains a strong oxidizing agent which may cause irreversible eye damage. After ignition of the canister, all persons should leave the treated area immediately. Avoid contact of product with skin, eyes or clothing. Wear goggles. Avoid breathing smoke. Wash thoroughly with soap and water after handling. Delay reentry into treatment areas until the smoke has settled or dissipated to avoid possible eye irritation. Do not reenter unventilated areas for 12 hours after treatment. For ventilated areas, do not reenter treatment areas until ventilation ducts and fans have been opened and on for at least 30 minutes and at least 1-2 air exchanges have occurred. For either unventilated or ventilated areas, do not reenter if treatment smoke is still visible. Remove contaminated clothing and wash before reuse.

FIRST AID

If in Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for further treatment advice.
If Swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.• Promptly drink either large quantity of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol.
If on Skin or Clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling the poison control center or doctor or going for treatment.
You may also contact the Rocky Mountain Poison Center at 1-303-595-4869 for emergency medical treatment information.

PHYSICAL OR CHEMICAL HAZARDS:

Flammable. Do not store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDICATIONS

For the control of *Aspergillus* organisms in cleaned poultry and turkey hatchery equipment prior to the introduction of the eggs: such as empty hatchery cabinets, setters, coolers, storerooms, and egg and chick handling equipment. Imazalil will dramatically reduce the levels of infectious organisms and spores in treated areas. Each canister contains sufficient imazalil and smoke generating material to cover an enclosure of 400 to 500 cubic feet.

DIRECTIONS FOR USE

Do not remove canisters from container except for immediate use. Treatment of the hatchery equipment should be the final step prior to introduction of the eggs. After the equipment has been thoroughly cleaned and disinfected, a smoke canister of imazalil should be placed on a noncombustible surface. Before starting, the area to be treated should be closed off to prevent air currents from diluting smoke. Ventilation ducts may be treated, but fans must be shut off. The wick of the canister should be ignited and all persons should leave the treated area. Within 60 seconds the canister will be through smoking. The smoke should be allowed to settle and contact the surfaces for no less than 12 hour but preferably up to 12 hours before fumigated equipment and areas are used. Delay reentry into treatment areas until the smoke has settled or dissipated to avoid possible eye irritation. Do not reenter unventilated areas for 12 hours after treatment. For ventilated areas, do not reenter treatment areas until ventilation ducts and fans have been opened and on for at least 30 minutes and at least 1-2 air exchanges have occurred. For either unventilated or ventilated areas, do not reenter if treatment smoke is still visible.

STORAGE AND DISPOSAL

Do not contaminate water supply, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Storage temperature should not exceed 100°F.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse container. Replace cap and dispose of in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

SCHERING-PLOUGH ANIMAL HEALTH CORP. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

Manufactured for:
Schering-Plough Animal Health Corp., Union,
NJ 07083.

Copyright © 2003, Schering-Plough
Animal Health Corp. All rights reserved.
Rev. 11/02

EPA Reg. No. 773-56

EPA Est. No. 39775-EN-01

A product of Janssen Research. Clinafarm[®] is a registered trademark of Johnson & Johnson.

Made in United Kingdom



082183/aw_11652

L A B

JANSSEN-CILAG

ELC Prepress

Tel. Inge Vermeiren: 32 14606915 - Fax CPM: 32 14605157

LABEL Clinafarm Smoke 24x5g

Market: usa

Article Number: aw_11652

Sickcode:

Dimensions : 230 x 120mm (3P_OH/L/004/V1) Operator: Swat

File Name: usa_aw_11652_230x120_e

■ PMS Black

■ PMS 422

■ PMS 201

■ Diecut

Perforation -----

1. 09/01/2003

2. 14-01-2003

3.

4.

5.

6.