



ROFENAID POULTRY TYPE "B" MEDICATED FEED

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

TURKEYS:

As an aid in the prevention of coccidiosis caused by all *Eimeria* species known to be pathogenic to turkeys, namely *E. adenoides*, *E. gallopavonis* and *E. meleagrimitis* and bacterial infection due to *Pasteurella multocida* (fowl cholera).

ACTIVE DRUG INGREDIENTS

Sulfadimethoxine	5.675 g/lb (1.25%)
Ormetoprim	3.405 g/lb (0.75%)

INGREDIENTS

Calcium Carbonate, Roughage Products, Mineral oil

DIRECTIONS FOR USE

Turkeys: Thoroughly mix 10 pounds of this type "B" feed with feed ingredients to provide 0.00625% sulfadimethoxine and 0.00375% ormetoprim in the complete (Type C) feed. Feed as the sole ration.

Warning: Withdraw 5 days before slaughter. Do not feed to turkeys producing eggs for food.

Manufactured for

PALS

3735 1st Ave W, Willmar, MN 56201

(800) 328-8842

www.palsusa.com

40665172

PRODUCT NO. 10106812

41009WW



NET WEIGHT 50 lb (22.68 kg)