

Revision date: 24-Apr-2015

Version: 2.0

Page 1 of 10

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: NEO-SOL

Trade Name:

NEO-SOL 50

Synonyms:

Neomycin Sulfate Soluble Powder

Chemical Family:

Aminoglycoside

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use:

Veterinary product used as antibiotic agent

Restrictions on Use:

Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.

100 Campus Drive, P.O. Box 651

Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison and Drug Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail:

VMIPSrecords@zoetis.com

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem

Belgium

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

Appearance:

White to tan powder

Classification of the Substance or Mixture

GHS - Classification

Skin Corrosion/Irritation: Category 2 Respiratory Sensitization: Category 1 Skin Sensitization: Category 1 Reproductive Toxicity: Category 2 Acute aquatic toxicity: Category 3 Chronic aquatic toxicity: Category 3

US OSHA Specific - Classification

Physical Hazard: Combustible Dust

EU Classification:

EU Indication of danger: Toxic to Reproduction: Category 3

Harmful

EU Symbol:

Xn

EU Risk Phrases:

R63 - Possible risk of harm to the unborn child.

R38 - Irritating to skin.

R42/43 - May cause sensitization by inhalation and skin contact.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

ZT00665

NEOSOL

#020255

4/24/15

PAGE 1 of 10

Material Name: NEO-SOL Revision date: 24-Apr-2015

Page 2 of 10 Version: 2.0

The state of the s

2. HAZARDS IDENTIFICATION

Label Elements

Signal Word:

Danger

Hazard Statements:

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 - May cause an allergic skin reaction

H315 - Causes skin irritation

H361 - Suspected of damaging fertility or the unborn child H412 - Harmful to aquatic life with long lasting effects May form combustible dust concentrations in air

Precautionary Statements:

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P240 - Ground/Bond container and receiving equipment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

P308 + P313 - IF exposed or concerned: Get medical attention/advice

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTRE or

doctor/physician

P302+ P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards Short Term:

Individuals sensitive to this chemical or other materials in its chemical class may develop allergic reactions. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted. May produce slight eye irritation. Signs and symptoms might include redness, swelling, blurred vision or pain. Dust may cause irritation . May be harmful if swallowed.

Long Term:

Animal studies indicate that this material may cause adverse effects on the kidneys, ear (ototoxicity) and blood forming organs

Known Clinical Effects:

The most common adverse effects reported with clinical use were diarrhea, nausea, rash, and vomiting. This compound can cross the placenta in pregnant women.

Hazardous Substance. Non-Dangerous Goods.

Australian Hazard Classification (NOHSC):

Material Name: NEO-SOL Revision date: 24-Apr-2015

Page 3 of 10 Version: 2.0

1 2 . 5 4

Note:

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

Hazardoue

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Neomycin Sulfate	1405-10-3	215-773-1	Xn;R42/43 Repr.Cat.3;R63	Resp. Sens. 1 (H334) Skin Sens.1(H317) Repro. 2 (H361d) Aq. Acute 3 (H402) Aq. Chronic 3 (H412)	80
Sucrose	57-50-1	200-334-9	Not Listed	Not Listed	20

Additional Information:

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

FIRST AID MEASURES

Description of First Aid Measures

Eye Contact:

Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact:

Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion:

Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation:

Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

n. Strang

Symptoms and Effects of

Exposure:

For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Medical Conditions

Aggravated by Exposure:

Identification and/or Section 11 - Toxicological Information.

Individuals with a history of hypersensitivity to this material or other materials in its chemical class, individuals with other allergic conditions or diseases (asthma, eczema, etc.). Breathing

dust may worsen asthma symptoms.

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician:

Power of the account matter and the

None

FIRE-FIGHTING MEASURES

Extinguishing Media:

Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Material Name: NEO-SOL Revision date: 24-Apr-2015

Page 4 of 10 Version: 2.0

The state of the second

Hazardous Combustion

Products:

Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards:

Dust can form an explosive mixture in air. Fine particles (such as dust and mists) may fuel

fires/explosions.

Advice for Fire-Fighters

AND LONG AS TO

Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear.

- 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Avoid dust formation.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning /

Collecting:

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Collect spilled material by a method that controls dust generation. Contain the source of spill if it is safe to do so. Collect spill with absorbent

material. Clean spill area thoroughly.

Additional Consideration for

Large Spills:

Avoid generating airborne dust. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Collect spill with a non-combustible absorbent material and transfer to labeled container for disposal. Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Minimize dust generation and accumulation. Use with adequate ventilation. Wash thoroughly after handling. When handling, use appropriate personal protective equipment (see Section 8). Prevent environmental releases. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:

Store at room temperature in properly labeled containers. Keep away from heat, sparks, flame,

and other sources of ignition. Keep away from direct sunlight.

Specific end use(s):

No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Neomycin Sulfate

Zoetis OEL TWA 8-hr

100 µg/m³, Sensitizer

Sucrose

Material Name: NEO-SOL Revision date: 24-Apr-2015

Page 5 of 10 Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECT

ACGIH Threshold Limit Value (TWA) 10 mg/m³ Australia TWA 10 mg/m³ Belgium OEL - TWA 10 mg/m³ Bulgaria OEL - TWA 10.0 mg/m³ Estonia OEL - TWA 10 mg/m³ France OEL - TWA 10 mg/m³ **Ireland OEL - TWAs** 10 ma/m³ Latvia OEL - TWA 5 mg/m³ Lithuania OEL - TWA 10 mg/m³ OSHA - Final PELS - TWAs: 15 mg/m³ Portugal OEL - TWA 10 mg/m³ Slovakia OEL - TWA 6 mg/m³ Spain OEL - TWA 10 mg/m³

Exposure Controls

Engineering Controls:

Personal Protective

Equipment:

Engineering controls should be used as the primary means to control exposures. Keep airborne contamination levels below the exposure limits listed above in this section.

Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

Hands: Eves: Skin:

Wear impervious gloves if skin contact is possible.

Safety glasses or goggles

Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and

laboratory areas.

Respiratory protection:

If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL. Whenever excessive air contamination (dust, mist, vapor) is generated, respiratory protection, with

appropriate protection factors, should be used to minimize exposure.

O PHYSICAL AND CHEMICAL

Physical State:

the state of the state of

Free-flowing, granular powder

Odor:

Mild, earthy odor

Molecular Formula:

No data available

No data available

No data available.

No data available

No data available.

162 g/100 ml

Mixture

Color:

Odor Threshold:

Molecular Weight:

White to tan No data available.

Mixture

120,1

Solvent Solubility:

Water solubility: Water Solubility:

Neomycin Sulfate

pH:

Melting/Freezing Point (°C):

Boiling Point (°C):

Partition Coefficient: (Method, pH, Endpoint, Value) No data available

Predicted 7.4 Log D 1.20

Decomposition Temperature (°C):

Evaporation Rate (Gram/s): Vapor Pressure (kPa):

Vapor Density (g/ml): Relative Density: Viscosity:

No data available.

No data available No data available No data available

No data available No data available

Material Name: NEO-SOL Revision date: 24-Apr-2015

Page 6 of 10 Version: 2.0

37977

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids): Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.): Lower Explosive Limits (Liquid) (% by Vol.):

E de l'establishe de la constant de

Polymerization:

No data available

No data available

No data available No data available

No data available Will not occur

10. STABILITY AND REACTIV

Reactivity:

Chemical Stability:

Possibility of Hazardous Reactions **Oxidizing Properties:**

Conditions to Avoid:

No data available

Stable under normal conditions of use.

No data available

Keep away from heat, spark, flames and all other sources of ignition. Avoid dispersion as a dust cloud. Dust may form explosive mixture in air. Fine particles (such as dust and mists)

may fuel fires/explosions.

Incompatible Materials:

Hazardous Decomposition

Products:

As a precautionary measure, keep away from strong oxidizers

Thermal decomposition products may include carbon monoxide, carbon dioxide and oxides of

nitrogen.

TOXICOLOGICAL INFORMATI

Information on Toxicological Effects

General Information:

Toxicological properties of the formulation have not been investigated. The information in this section describes the potential hazards of the individual ingredients and the formulation.

Routes of exposure: eye contact, skin contact, inhalation

Acute Toxicity: (Species, Route, End Point, Dose)

Neomycin Sulfate

Rat Oral LD 50 2750 mg/kg Oral LD 50 2880mg/kg Mouse

Mouse Intraperitoneal LD 50 116mg/kg Rat Subcutaneous LD 50 633mg/kg Mouse Subcutaneous LD 50 275mg/kg

Sucrose

Rat Oral LD 50 29,700 mg/kg

Inhalation Acute Toxicity

Inhalation of dust may cause irritation of the respiratory tract and mucous membranes and

allergic reactions in susceptible individuals.

Ingestion Acute Toxicity

May be harmful if swallowed

Irritation / Sensitization: (Study Type, Species, Severity)

Neomycin Sulfate

Skin Irritation Rabbit Moderate Eye Irritation Rabbit Minimal Skin Sensitization **Positive**

Irritation / Sensitization Comments:

May cause eve irritation.

Skin Irritation / Sensitization

May cause skin irritation. May cause allergic reactions in susceptible individuals.

ZT00665

Material Name: NEO-SOL Revision date: 24-Apr-2015

Page 7 of 10 Version: 2.0

INTOXICOLOGICAL INFORMATION

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Neomycin Sulfate

6 Week(s) Dog Ora! 100 mg/kg/day NOAEL No effects at maximum dose

3 Month(s) Guinea Pig Oral 10 mg/kg/day NOAEL No effects at maximum dose

3 Month(s) Dog Subcutaneous 20 mg/kg/day LOAEL Kidney

12 Month(s) Cat Oral 12 mg/kg/day NOAEL Blood forming organs 3 Month(s)

Guinea Pig Subcutaneous 10 mg/kg/day LOAEL

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Neomycin Sulfate

Reproductive & Fertility Mouse Oral 4000 mg/L NOAEL No effects at maximum dose 2 Generation Reproductive Toxicity Rat Oral 25 mg/kg/day NOAEL Fetotoxicity Reproductive & Fertility 25 mg/kg/day Rat Oral No effects at maximum dose NOAEL Prenatal & Postnatal Development Rat Subcutaneous 6 mg/kg/day LOAEL Developmental toxicity.

Reproductive & Development **Toxicity Comments:**

may have the potential to produce effects on the developing fetus.

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Neomycin Sulfate

Bacterial Mutagenicity (Ames) Salmonella , E. coli Negative

Mammalian Cell Mutagenicity Chinese Hamster Ovary (CHO) cells Negative

In Vivo Cytogenetics Mouse Negative

In Vitro Chromosome Aberration **Human Lymphocytes** Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Neomycin Sulfate

2 Year(s) Rat Oral 25 mg/kg/day NOAEL Not carcinogenic

Carcinogen Status:

None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Product Level Toxicity Data Acute Toxicity Estimate (ATE), oral

3448 mg/kg

Material Name: NEO-SOL Revision date: 24-Apr-2015

Page 8 of 10 Version: 2.0

12 ECOLOGICAL INFORMATION

Environmental Overview:

1128 Sel 4

Environmental properties of the formulation have not been investigated. The following information is available for the individual ingredients. may be harmful to aquatic organisms. Releases to the environment should be avoided.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Neomycin Sulfate

Daphnia magna (Water Flea) OECD EC50 48 Hours 68 mg/L Salmo gairdneri (Trout) OECD NOEC 96 Hours >1000 mg/L

Aquatic Toxicity Comments:

A greater than symbol (>) indicates that aquatic toxicity was not observed at the maximum

dose tested.

Bacterial Inhibition: (Inoculum, Method, End Point, Result)

Neomycin Sulfate

Activated sludge OECD EC50 399 mg/L

Persistence and Degradability: No data available

Bio-accumulative Potential:

Neomycin Sulfate

Predicted 7.4 Log D 1.20

Mobility in Soll:

No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Should not be released into the environment. Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Material Name: NEO-SOL Revision date: 24-Apr-2015

Page 9 of 10 Version: 2.0

15. REGULATORY INFORMATIO

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A Class D, Division 2, Subdivision B

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.



Neomycin Sulfate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Not Listed

developmental toxicity initial date 10/1/92 internal use

Present

Present

215-773-1

Sucrose

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the

obligations of Register:

EU EINECS/ELINCS List

Not Listed

Not Listed

Present

Present

Present

200-334-9

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction

Sensitization, respiratory-Cat.1; H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Reproductive toxicity-Cat.2; H361 - Suspected of damaging fertility or the unborn child

Hazardous to the aquatic environment, acute toxicity-Cat.3; H402 - Harmful to aquatic life

Hazardous to the aquatic environment, chronic toxicity-Cat.3; H412 - Harmful to aquatic life with long lasting effects

Xn - Harmful

Toxic to Reproduction: Category 3

R63 - Possible risk of harm to the unborn child.

R42/43 - May cause sensitization by inhalation and skin contact.

Data Sources:

The data contained in this SDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Material Name: NEO-SOL Revision date: 24-Apr-2015

Page 10 of 10 Version: 2.0

Reasons for Revision:

Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 6 - Accidental Release Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 10 - Stability and Reactivity. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information. Updated Section 15 - Regulatory Information.

Prepared by:

Toxicology and Hazard Communication Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet