




# Pennchlor S 10/10<sup>®</sup>

Chlortetracycline, Sulfamethazine  
Type B Medicated Feed



## PRODUCT DESCRIPTION

- Antibacterial combination premix for oral administration in feed to swine.
- Each pound of premix contains 10 grams of chlortetracycline activity and 10 grams (2.2%) of sulfamethazine.

## FORMULATION

- Free-flowing meal feedstuff.
- Ingredients: Chlortetracycline calcium complex, sulfamethazine, calcium carbonate, magnesium-mica, roughage products, mineral oil.

## FDA STATUS

- **CAUTION:** Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.
- Type B Medicated Feed for use in the manufacture of swine feeds.
- Category II drug; does not require a feedmill license (Type B).

## SWINE INDICATIONS

- Reduction of the incidence of cervical abscesses.
- Treatment of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by *Salmonella choleraesuis* and vibronic dysentery).
- Prevention of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by *S. choleraesuis* and vibronic dysentery) during times of stress.
- Maintenance of weight gains in the presence of atrophic rhinitis.

## WITHDRAWAL PERIOD

- 15 days.

## PACKAGING

- 50-lb, fuchsia color-coded bags.

## KEY FEATURES

- Combination of two potent antibacterial agents, providing broad-spectrum activity.
- Readily absorbed, providing effective blood and lung tissue concentrations.
- Cost-effective medication for effective control of enteritis.
- Helps prevent disease during times of stress.
- Appropriate for use in starter formulations.
- Type B feed, does not require a feedmill license.
- Free-flowing formulation promotes consistent mixing.
- Wide safety margin.
- Color-coded bag for easy identification.
- High-quality manufacturing at US Pharmgate facilities according to FDA requirements.

# Pennchlor S 10/10<sup>®</sup>

Chlortetracycline, Sulfamethazine  
Type B Medicated Feed

<b>Active Drug Ingredients:</b>	Chlortetracycline Calcium Complex equivalent to Chlortetracycline HCl	10g/lb.
	Sulfamethazine	2.2% (10g/lb.)
<b>Ingredients:</b>	Roughage Products, Magnesium-Mica, Chlortetracycline, Calcium Carbonate, Mineral Oil, Sulfamethazine	
<b>Guaranteed Analysis:</b>	Crude Protein, not less than	10%
	Crude Fat, not less than	0.1%
	Crude Fiber, not less than	60%
<b>For Use in the Manufacture of Medicated Swine Feeds</b>		
<b>Indications</b>	For reduction of the incidence of cervical abscesses; treatment of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by <i>Salmonella choleraesuis</i> and vibriotic dysentery); prevention of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by <i>Salmonella choleraesuis</i> and vibriotic dysentery) during times of stress; maintenance of weight gains in the presence of atropic rhinitis.	
<b>Directions For Use</b>		
Mix at the rate of 10 lbs (4.54 kg) per ton (907.2 kg) with part of the feed ingredients to make a preblend. Add the remainder of the ingredients to give a final concentration of 100 g chlortetracycline, and 100 g sulfamethazine per ton of Type C feed and mix thoroughly.		
<b>WARNING: WITHDRAW 15 DAYS PRIOR TO SLAUGHTER</b>		
NADA 138-934 Approved by FDA		



14040 Industrial Road  
Omaha, NE 68144  
800.832.8303 [www.pharmgateAH.com](http://www.pharmgateAH.com)  
©2016 Pharmgate Animal Health Inc. 1272-1016



