

# SAFETY DATA SHEET



Revision date: 27-Aug-2015

Version: 2.2

Page 1 of 8

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

### Product Identifier

**Material Name:** Acidified Copper

**Trade Name:** ACIDIFIED COPPER SULFATE  
**Chemical Family:** Mixture

### Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Intended Use:** Veterinary product  
**Restrictions on Use:** Not for human use

### Details of the Supplier of the Safety Data Sheet

**Zoetis Inc.**  
100 Campus Drive, P.O. Box 651  
Florham Park, New Jersey 07932 (USA)  
Rocky Mountain Poison and Drug Center Phone: 1-866-531-8896  
Product Support/Technical Services Phone: 1-800-366-5288

**Zoetis Belgium S.A.**  
Mercuriusstraat 20  
1930 Zaventem  
Belgium

**Emergency telephone number:**  
**CHEMTREC (24 hours):** 1-800-424-9300  
**Contact E-Mail:** VMIPSrecords@zoetis.com

**Emergency telephone number:**  
**International CHEMTREC (24 hours):** +1-703-527-3887

## 2. HAZARDS IDENTIFICATION

**Appearance:** Light blue powder

### Classification of the Substance or Mixture

#### GHS - Classification

Serious Eye Damage/Eye Irritation: Category 2  
Acute aquatic toxicity: Category 2  
Chronic aquatic toxicity: Category 2

#### US OSHA Specific - Classification

**Physical Hazard:** Combustible Dust

### Label Elements

**Signal Word:** Warning  
**Hazard Statements:** H319 - Causes serious eye irritation  
H411 - Toxic to aquatic life with long lasting effects  
May form combustible dust concentrations in air

# SAFETY DATA SHEET

Material Name: Acidified Copper  
Revision date: 27-Aug-2015

Page 2 of 8  
Version: 2.2

**Precautionary Statements:**

- P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P264 - Wash hands thoroughly after handling
- P273 - Avoid release to the environment
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 - If eye irritation persists: Get medical advice/attention
- P391 - Collect spillage
- P501 - Dispose of contents/container in accordance with all local and national regulations



## Other Hazards

### Short Term:

Causes eye irritation . Signs and symptoms might include redness, swelling, blurred vision or pain. May cause skin irritation. Signs and symptoms might include skin rash, itching, redness or swelling. Dust may cause irritation May be harmful if swallowed.  
Hazardous Substance. Non-Dangerous Goods.

### Australian Hazard Classification (NOHSC):

### Note:

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous

| Ingredient     | CAS Number | EU EINECS/ELINCS List | GHS Classification   | %  |
|----------------|------------|-----------------------|--|----|
| Citric acid    | 77-92-9    | 201-069-1             | Eye Irrit. 2A (H319)   | 99 |
| Cupric sulfate | 7758-98-7  | 231-847-6             | Acute Tox. 4 (H302)<br>Skin Irrit. 2 (H315)<br>Aquatic Chronic 1 (H410)<br>Aquatic Acute 1 (H400)<br>Eye Irrit. 2 (H319) | 1  |

### Additional Information:

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

## 4. FIRST AID MEASURES

### Description of First Aid Measures

## SAFETY DATA SHEET

Material Name: Acidified Copper  
Revision date: 27-Aug-2015

Page 3 of 8  
Version: 2.2

### 4. FIRST AID MEASURES

- Eye Contact:** Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
- Skin Contact:** Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
- Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
- Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

#### Most Important Symptoms and Effects, Both Acute and Delayed

- Symptoms and Effects of Exposure:** For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.
- Medical Conditions Aggravated by Exposure:** Breathing dust may worsen asthma symptoms.

#### Indication of the Immediate Medical Attention and Special Treatment Needed

- Notes to Physician:** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media:** Extinguish fires with CO<sub>2</sub>, extinguishing powder, foam, or water.

#### Special Hazards Arising from the Substance or Mixture

- Hazardous Combustion Products:** Formation of toxic gases is possible during heating or fire.
- Fire / Explosion Hazards:** Dust can form an explosive mixture in air. Fine particles (such as dust and mists) may fuel fires/explosions.

#### Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

Avoid dust formation. Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

#### Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

#### Methods and Material for Containment and Cleaning Up

- Measures for Cleaning / Collecting:** Contain the source of the spill if it is safe to do so. Avoid generating airborne dust. Collect spilled material by a method that controls dust generation. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Use non-combustible absorbent material to wipe up spill and place in a sealed container for disposal. Clean contaminated surface thoroughly.
- Additional Consideration for Large Spills:** Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures.

## SAFETY DATA SHEET

Material Name: Acidified Copper  
Revision date: 27-Aug-2015

Page 4 of 8  
Version: 2.2

### 7. HANDLING AND STORAGE

#### Precautions for Safe Handling

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Minimize dust generation and accumulation. Use with adequate ventilation. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

#### Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Store at room temperature in properly labeled containers. Keep away from heat, sparks and flames.

**Specific end use(s):** No data available

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

#### Cupric sulfate

|  |                     |
|--|---------------------|
| <b>ACGIH Threshold Limit Value (TWA)</b> | 1 mg/m <sup>3</sup> |
| <b>Finland OEL - TWA</b>                 | 1 mg/m <sup>3</sup> |

#### Exposure Controls

**Engineering Controls:** Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.

**Personal Protective Equipment:** Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

**Hands:** Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.

**Eyes:** Wear safety glasses or goggles if eye contact is possible.

**Skin:** Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.

**Respiratory protection:** If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL. In dusty conditions use an approved dust mask or more protection as needed.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |                    |                          |                    |
|---|--------------------|--------------------------|--------------------|
| <b>Physical State:</b>                                      | Powder             | <b>Color:</b>            | Light blue         |
| <b>Odor:</b>  | Characteristic     | <b>Odor Threshold:</b>   | No data available. |
| <b>Molecular Formula:</b>                                   | Mixture            | <b>Molecular Weight:</b> | Mixture            |
| <b>Solvent Solubility:</b>                                  | No data available  |                          |                    |
| <b>Water Solubility:</b>                                    | Soluble            |                          |                    |
| <b>pH:</b>  | No data available. |                          |                    |
| <b>Melting/Freezing Point (°C):</b>                         | No data available  |                          |                    |
| <b>Boiling Point (°C):</b>                                  | No data available. |                          |                    |
| <b>Partition Coefficient: (Method, pH, Endpoint, Value)</b> |                    |                          |                    |
| No data available   |                    |                          |                    |
| <b>Decomposition Temperature (°C):</b>                      | No data available. |                          |                    |

## SAFETY DATA SHEET

Material Name: Acidified Copper  
Revision date: 27-Aug-2015

Page 5 of 8  
Version: 2.2

Evaporation Rate (Gram/s): No data available  
Vapor Pressure (kPa): No data available  
Vapor Density (g/ml): No data available  
Relative Density: No data available  
Viscosity: No data available

### Flammability:

Autoignition Temperature (Solid) (°C): No data available  
Flammability (Solids): No data available  
Flash Point (Liquid) (°C): No data available  
Upper Explosive Limits (Liquid) (% by Vol.): No data available  
Lower Explosive Limits (Liquid) (% by Vol.): No data available

## 10. STABILITY AND REACTIVITY

Reactivity: No data available  
Chemical Stability: Stable under normal conditions of use.  
Possibility of Hazardous Reactions  
Oxidizing Properties: No data available  
Conditions to Avoid: Keep away from heat, spark, flames and all other sources of ignition. Avoid dispersion as a dust cloud. Dust may form explosive mixture in air. Fine particles (such as dust and mists) may fuel fires/explosions.  
Incompatible Materials: As a precautionary measure, keep away from strong oxidizers  
Hazardous Decomposition Products: No data available

## 11. TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been investigated. The information in this section describes the potential hazards of the individual ingredients and the formulation.  
Routes of exposure: inhalation , eye contact , skin contact

### Acute Toxicity: (Species, Route, End Point, Dose)

#### Cupric sulfate

Rat Oral LD50 300 mg/kg  
Rabbit Dermal LD 50 1000mg/kg

#### Citric acid

Rat Oral LD50 3000 mg/kg

Inhalation Acute Toxicity Dust may cause irritation  
Ingestion Acute Toxicity May be harmful if swallowed

### Irritation / Sensitization: (Study Type, Species, Severity)

#### Citric acid

Eye Irritation Rabbit Severe  
Skin Irritation Rabbit Mild

Irritation / Sensitization Comments: May cause eye irritation.  
Skin Irritation / Sensitization May cause transient skin irritation.

## SAFETY DATA SHEET

Material Name: Acidified Copper  
Revision date: 27-Aug-2015

Page 6 of 8  
Version: 2.2

### 11. TOXICOLOGICAL INFORMATION

**Carcinogen Status:** None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

**Product Level Toxicity Data**

|  |             |
|--|-------------|
| Acute Toxicity Estimate (ATE),<br>oral   | 2778 mg/kg  |
| Acute Toxicity Estimate (ATE),<br>dermal | >5000 mg/kg |

### 12. ECOLOGICAL INFORMATION

**Environmental Overview:** Environmental properties of the formulation have not been investigated. Releases to the environment should be avoided.

**Toxicity:**

**Aquatic Toxicity: (Species, Method, End Point, Duration, Result)**

**Cupric sulfate**

|  |      |          |            |
|--|------|----------|------------|
| <i>Daphnia magna</i> (Water Flea)          | EC50 | 48 Hours | 0.024 mg/L |
| <i>Oncorhynchus mykiss</i> (Rainbow Trout) | LC50 | 96 Hours | 0.1 mg/L   |

**Persistence and Degradability:** No data available

**Bio-accumulative Potential:** No data available

**Mobility in Soil:** No data available

### 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:** Should not be released into the environment. Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

### 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

For inner containers or single containers greater than 5 kilograms:

|                             |   |
|-----------------------------|---|
| UN number:                  | UN 3077   |
| UN proper shipping name:    | Environmentally Hazardous Substance, Solid, n.o.s |
| Technical Shipping Name:    | Cupric sulfate                                    |
| Transport hazard class(es): | 9   |

# SAFETY DATA SHEET

Material Name: Acidified Copper  
Revision date: 27-Aug-2015

Page 7 of 8  
Version: 2.2

Packing group: III  
Environmental Hazard(s): Marine Pollutant

Inner containers or single containers 5 Liters (or 5 kilograms) or less net quantity are not subject to the DG regulations as per conditions specified in IATA/ICAO A197; IMDG 2.10.2.7; ADR SP 375 . Please refer to the applicable dangerous goods regulations for additional information. Transport according to the requirements of the appropriate regulatory body.

For U.S. DOT, single inner packages containing the hazardous substance in a quantity which is greater than or equal to the hazardous substance Reportable Quantity (see RQ below) are regulated for transport and must be transported according to the shipping information listed above in this section.

U.S. DOT Reportable Quantity (RQ), 49 CFR 172.101 Appendix A:

Cupric sulfate  
CERCLA/SARA Hazardous Substances  
and their Reportable Quantities: 10 lb  
4.54 kg

## 15. REGULATORY INFORMATION

### Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### Canada - WHMIS: Classifications

##### WHMIS hazard class:

Class D, Division 2, Subdivision B

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.



#### Citric acid

|   |            |
|---|------------|
| CERCLA/SARA 313 Emission reporting          | Not Listed |
| California Proposition 65                   | Not Listed |
| Inventory - United States TSCA - Sect. 8(b) | Present    |
| Australia (AICS):                           | Present    |
| EU EINECS/ELINCS List                       | 201-069-1  |

#### Cupric sulfate

|  |                  |
|--|------------------|
| CERCLA/SARA 313 Emission reporting                                   | Not Listed       |
| CERCLA/SARA Hazardous Substances<br>and their Reportable Quantities: | 10 lb<br>4.54 kg |
| California Proposition 65  | Not Listed       |
| Inventory - United States TSCA - Sect. 8(b)                          | Present          |
| Australia (AICS):  | Present          |
| Standard for the Uniform Scheduling<br>for Drugs and Poisons:        | Schedule 6       |
| EU EINECS/ELINCS List  | 231-847-6        |

## SAFETY DATA SHEET

Material Name: Acidified Copper  
Revision date: 27-Aug-2015

Page 8 of 8  
Version: 2.2

### 15. REGULATORY INFORMATION

### 16. OTHER INFORMATION

#### Text of CLP/GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Skin corrosion/irritation-Cat.2; H315 - Causes skin irritation

Serious eye damage/eye irritation-Cat.2A; H319 - Causes serious eye irritation

Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life

Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects

**Data Sources:** The data contained in this SDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

**Reasons for Revision:** Updated Section 3 - Composition / Information on Ingredients. Updated Section 16 - Other Information.

**Prepared by:** Toxicology and Hazard Communication  
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

**End of Safety Data Sheet**