# SAFETY DATA SHEET

#### Product Number 710

Issuing Date No data available

Revision Date 08-Nov-2013

**Revision Number 1** 



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

**Product Name** 

**Muriatic Acid** 

Other means of identification

UN-No.

**UN1789** 

**Synonyms** 

None

Recommended use of the chemical and restrictions on use

Recommended Use

**Stains** 

Uses advised against

No information available

Details of the supplier of the safety data sheet

**Supplier Name** 

Sunnyside Corporation

Supplier Address

225 Carpenter Avenue

Wheeling

60090

US

**Supplier Phone Number** 

Phone:8003238611

Fax:8475419043

Supplier Email

sscontact@sunnysidecorp.com

Emergency telephone number


Chem Trec 8004249300

# 2. HAZARDS IDENTIFICATION

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1



1120404 - Muriatic Acid Revision Date 08-Nov-2013

# GHS Label elements, including precautionary statements

**Emergency Overview** 

Signal word

Danger

#### **Hazard Statements**

Harmful if swallowed

Toxic if inhaled

Causes severe skin burns and eye damage



Appearance Clear to light yellow

Physical State Liquid

Odor Pungent

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

## Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician

#### Ingestion

Rinse mouth

Do NOT induce vomiting

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable



1120404 - Muriatic Acid

**Unknown Toxicity** 

0% of the mixture consists of ingredient(s) of unknown toxicity

## Other Information

No information available

## Interactions with Other Chemicals

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Hydrogen chloride	7647-01-0	15 - 40	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

# First aid measures

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor

in attendance.

**Eye Contact** 

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor.

**Skin Contact** 

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower. Immediately call a POISON CENTER or

doctor/physician. Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing. Call a physician or poison control center immediately.

Ingestion

Do NOT induce vomiting. Rinse mouth. Rinse mouth immediately and drink plenty

of water. Never give anything by mouth to an unconscious person. Call a

physician or poison control center immediately.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

# Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. **Effects** 

Indication of any immediate medical attention and special treatment needed



1120404 - Muriatic Acid Revision Date 08-Nov-2013

#### **Notes to Physician**

Treat symptomatically. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

# 5. FIRE-FIGHTING MEASURES

Sultable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment,

Unsultable Extinguishing Media

Note: Most foams will react with the material and release corrosive/toxic gases.

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes.

**Uniform Fire Code** 

Corrosive: Acid-Liquid

Toxic: Liquid

**Hazardous Combustion Products** 

Hydrogen chloride.

Explosion Data

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Corrosive hazard. Wear protective gloves/clothing and eye/face protection.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Wear

protective gloves/protective clothing and eye/face protection. Do not touch damaged packages or spilled material. Do not get in eyes, on skin, or on clothing. Do not breathe

dust/fume/gas/mist/vapors/spray.

**Environmental Precautions** 

Environmental Precautions Prevent further leakage or spillage if safe to do so. Do not flush into surface water or

sanitary sewer system.

Methods and material for containment and cleaning up

Methods for Containment Dike far ahead of spill to collect runoff water.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Use personal protective equipment as

required. Sweep up and shovel into suitable containers for disposal.



# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling

Use personal protection equipment, Do not breathe dust/fume/gas/mist/vapors/spray, Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling.

# Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

Incompatible Products

Acids. Bases. Oxidizing agent.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen chloride 7647-01-0	Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992) See section 15 for national exposure control parameters

## Appropriate engineering controls

**Engineering Measures** 

Showers

Eyewash stations Ventilation systems

# Individual protection measures, such as personal protective equipment

**Eye/Face Protection** 

Tight sealing safety goggles. Face protection shield.

Skin and Body Protection

Wear protective gloves and protective clothing.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** 

Take off contaminated clothing and wash before reuse. Regular cleaning of equipment,

work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

**Physical State** 

Liquid



**Pungent** Odor Clear to light yellow **Appearance Odor Threshold** No information available No information available Color Remarks/ Method <u>Values</u> **Property** None known Hq No data available None known Melting / freezing point No data available None known Boiling point / boiling range 5001 C / 9034 F Flash Point None known **Evaporation Rate** None known No data available None known No data available Flammability (solid, gas) Flammability Limit in Air Upper flammability limit No data available No data available Lower flammability limit No data available None known Vapor pressure No data available None known Vapor density None known **Specific Gravity** No data available Miscible in water None known **Water Solubility** No data available None known Solubility in other solvents Partition coefficient: n-octanol/waterNo data available None known None known Autoignition temperature No data available None known No data available **Decomposition temperature** None known No data available Kinematic viscosity None known Dynamic viscosity No data available No data available **Explosive properties** No data available Oxidizing Properties Other Information No data available **Softening Point** 

# 10. STABILITY AND REACTIVITY

No data available No data available

#### Reactivity

No data available.

**VOC Content (%)** 

Particle Size Distribution

Particle Size

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

Exposure to air or moisture over prolonged periods. Excessive heat.

#### Incompatible materials

Acids. Bases. Oxidizing agent.

#### **Hazardous Decomposition Products**

Hydrogen chloride.

# 11. TOXICOLOGICAL INFORMATION



1120404 - Muriatic Acid

## Information on likely routes of exposure

**Product Information** 

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation

Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may

cause coughing, choking, headache, dizziness, and weakness for several hours.

Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin,

decreased blood pressure, and increased heart rate.

**Eye Contact** 

Specific test data for the substance or mixture is not available. (based on components).

Causes serious eye damage.

Skin Contact

Specific test data for the substance or mixture is not available. Causes severe burns.

Ingestion

Specific test data for the substance or mixture is not available. Toxic if swallowed. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen chloride 7647-01-0	= 700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 3124 ppm (Rat) 1 h

## Information on toxicological effects

**Symptoms** 

Erythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing. Difficulty in breathing.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

**Mutagenic Effects** 

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen chloride		Group 3		
7647-01-0				i i

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

**Chronic Toxicity** 

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are

common. Gastrointestinal disturbances may also be seen.

**Target Organ Effects** 

Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Systemic Toxicity. Teeth.

**Aspiration Hazard** 

No information available.



Revision Date 08-Nov-2013 1120404 - Muriatic Acid

## Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,842.00 mg/kg ATEmix (inhalation-dust/mlst) 1,32 mg/l

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Harmful to aquatic life.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Hydrogen chloride 7647-01-0		96h LC50: = 282 mg/L (Gambusia affinis)		

#### Persistence and Degradability

No information available.

## **Bioaccumulation**

No information available

## Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR **Disposal methods** 

Dispose of contents/containers in accordance with local regulations. **Contaminated Packaging** 

D002 **US EPA Waste Number** 

California Hazardous Waste Codes 791

# 14. TRANSPORT INFORMATION

DOT

**UN1789** UN-No.

HYDROCHLORIC ACID SOLUTION **Proper Shipping Name** 

157

**Hazard Class Packing Group** 

UN1789, HYDROCHLORIC ACID SOLUTION, 8, II Description

**Emergency Response Guide** 

Number

**TDG** 

**UN1789** UN-No.



**Proper Shipping Name** HYDROCHLORIC ACID SOLUTION **Hazard Class Packing Group** II Description UN1789, HYDROCHLORIC ACID SOLUTION, 8, II MEX UN-No. UN1789 **Proper Shipping Name** HYDROCHLORIC ACID SOLUTION **Hazard Class Packing Group** u Description UN1789, HYDROCHLORIC ACID SOLUTION, 8, II **ICAO** UN-No. UN1789 **Proper Shipping Name** HYDROCHLORIC ACID SOLUTION **Hazard Class** 8 **Packing Group** П Description UN1789, HYDROCHLORIC ACID SOLUTION, 8, II IATA UN-No. UN1789 **Proper Shipping Name** HYDROCHLORIC ACID SOLUTION Hazard Class Packing Group Description UN1789, HYDROCHLORIC ACID SOLUTION, 8, II IMDG/IMO UN-No. **UN1789** HYDROCHLORIC ACID SOLUTION **Proper Shipping Name Hazard Class Packing Group** 11 EmS No. F-A. S-B Description UN1789, HYDROCHLORIC ACID SOLUTION, 8, II RID UN-No. **UN1789 Proper Shipping Name** HYDROCHLORIC ACID SOLUTION **Hazard Class** 8 **Packing Group** П Classification code C1 Description UN1789, HYDROCHLORIC ACID SOLUTION, 8, II **ADR** UN-No. **UN1789 Proper Shipping Name** HYDROCHLORIC ACID SOLUTION **Hazard Class Packing Group** ш Classification code C<sub>1</sub> Description UN1789, HYDROCHLORIC ACID SOLUTION, 8, II **ADN** UN-No. UN1789 **Proper Shipping Name** HYDROCHLORIC ACID SOLUTION **Hazard Class Packing Group** Ш **Classification code C1 Special Provisions** 520 Description UN1789, HYDROCHLORIC ACID SOLUTION, 8, II Hazard Labels 8 **Limited Quantity** 1 L



# 15. REGULATORY INFORMATION

# International Inventories

TSCA DSL Complies

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Welght-%	SARA 313 - Threshold Values %
Hydrogen chloride - 7647-01-0	7647-01-0	15 - 40	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

**CWA (Clean Water Act)** 

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

į	Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
	Hydrogen chloride 7647-01-0	5000 lb			X

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrogen chloride 7647-01-0	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

## **US State Regulations**

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Hydrogen chloride	Х	Х	X	X	Х
7647-01-0					

#### International Regulations

#### Mexico

National occupational exposure limits



1120404 - Muriatic Acid

Component	Carcinogen Status	Exposure Limits
Hydrogen chloride		Mexico: Ceiling 5 ppm
7647-01-0 (15 - 40)		Mexico: Ceiling 7 mg/m³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

**WHMIS Hazard Class** 

E - Corrosive material D1A - Very toxic materials



# **16. OTHER INFORMATION**

NFPA

**Health Hazards 3** 

Flammability 0

Instability 1

Physical and

**HMIS** 

**Health Hazards 3** 

Flammability 0

Physical Hazard 1

Chemical Hazards - Personal Protection

X

Prepared By

Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

**Revision Date** 

08-Nov-2013

**Revision Note** 

No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**