Printing date 10.09.2014

Revision: 18.07.2014

SECTION 1: Identification of the substance/mixture and of the company/

- · 1.1 Product identifier
- · Trade name: All Weather Paintstik
- · Article number: 14-551 , 14-554
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 No further relevant information available.
- · Application of the substance / the mixture Paint
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

31 Incorporated

100 Enterprise Dr.

Newcomerstown, OH 43832

Phone: (740) 498-8324

· 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H400, H412.

The product is not classified as hazardous according to OSHA GHS regulations within the United States.



environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

(Contd. on page 2)

Printing date 10.09.2014

Revision: 18.07.2014

Trade name: All Weather Paintstik

(Contd. of page 1)

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H400, H412.

The product is not classified as hazardous according to OSHA GHS regulations within the United States. The product is classified and labelled according to the CLP regulation.

· Hazard pictograms

Not applicable within the USA; only applicable for the EU.



GHS09

· Signal word

Not applicable within the USA; only applicable for the EU.

Warning

· Hazard statements

Not applicable within the USA; only applicable for the EU.

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H400, H412.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Not applicable within the USA; only applicable for the EU.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazard description:
- WHMIS-symbols: Not hazardous under WHMIS.
- NFPA ratings (scale 0 4)



Health = 0 Fire = 1 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1

REACTIVITY Reactivity = 0

· HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 3)

Printing date 10.09,2014

Revision: 18.07.2014

Trade name: All Weather Paintstik

* vPvB: Not applicable.

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions

CAS: 7440-50-8	copper	
E!NECS: 231-159-6	N R50/53	25-50%
	Aquatic Acute 1, H400 Aquatic Chronic 3, H412	
CAS: 8001-26-1	Linseed oil	25-50%
EINECS: 232-278-6	substance with a Community workplace exposure limit	25-50%
CAS: 7429-90-5	aluminium powder (stabilised)	10-25%
EINECS: 231-072-3	F R11-15	10-25%
Index number: 013-002-00-	V I I I I I I I I I I I I I I I I I I I	Ì
	carbon black	2-5%
	substance with a Community workplace exposure limit	2-076
CAS: 7440-66-6	zinc powder -zinc dust (stabilized)	1-5%
EINECS: 231-175-3	I № N R50/53	1-5%
Index number: 030-001-01-	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 or the wording of the listed risk phrases refer to section 16.]

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

A person vomiting while laying on their back should be turned onto their side.

4.2 Most important symptoms and effects, both acute and delayed

Cramp

Nausea

Gastric or intestinal disorders.

(Contd. on page 4)

Printing date 10.09.2014

Revision: 18.07.2014

Trade name: All Weather Paintstik

(Contd. of page 3)

· Hazards No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

Contains copper metal.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: Water

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 5)

Printing date 10.09.2014

Revision: 18.07.2014

Trade name: All Weather Paintstik

(Contd. of page 4)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients w	ith limit values that require monitoring at the workplace:
7440-50-8 cop	per
PEL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume
REL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume
TLV (USA)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume; as Cu
EL (Canada)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume, as Cu
EV (Canada)	Long-term value: 0,2* 1** mg/m³ as copper, *fume,**dust and mists
8001-26-1 Lins	eed oil
PEL (USA)	Short-term value: 15* 5** mg/m³ *Total dust **Respirable fraction
OEL (Canada)	Short-term value: 10* 3** mg/m³ *Mist **Respirable mist
TWA (Canada)	Short-term value: 10* 3** mg/m³ *Mist **Respirable mist
7429-90-5 alum	ninium powder (stabilised)
PEL (USA)	Long-term value: 15*; 15** mg/m³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction
	(Contd. on page 6)

Printing date 10.09.2014

Revision: 18.07.2014

Trade name: All Weather Paintstik

		(Contd. of page 5)
EL (Canada)	Long-term value: 1,0 mg/m³ respirable, as Al	
EV (Canada)	Long-term value: 5 mg/m³ aluminium-containing (as aluminium)	
carbon black		
PEL (USA)	Long-term value: 3,5 mg/m³	
REL (USA)	Long-term value: 3,5* mg/m³ *0,1 in presence of PAHs;See Pocket Guide Apps.A+C	
TLV (USA)	Long-term value: 3* mg/m³ *inhalable fraction	
EL (Canada)	Long-term value: 3 mg/m³ IARC 2B	
EV (Canada)	Long-term value: 3,5 mg/m³	

- · DNELs No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

· Respiratory protection:

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

Printing date 10.09.2014

Revision: 18.07,2014

Trade name: All Weather Paintstik

Eye protection:

(Contd. of page 6)

WHAT HOLDER



Safety glasses

· Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

· Limitation and supervision of exposure into the environment

No further relevant information available,

Risk management measures

See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General information

· Appearance:

Form:

Solid material

Colour:

According to product specification

y ..

· Odour:

· pH-value:

Characteristic
Not determined

Odour threshold:

Not applicable.

Change in condition

Melting point/Melting range: Boiling point/Boiling range:

150°F / 66 °C Undetermined.

· Flash point:

399°F / 204 °C

· Flammability (solid, gaseous):

Not determined.

· Auto/Self-ignition temperature:

Not determined.

· Decomposition temperature:

Not determined.

Self-igniting:

Product is not self-igniting.

· Danger of explosion:

Product does not present an explosion hazard.

Explosion limits:

Lower:

Not determined.

Upper:

Not determined.

· Vapour pressure:

Not applicable.

· Density:

Not determined.

Relative density

Not determined.

· Vapour density · Evaporation rate

Not applicable.

Not applicable.

(Contd. on page 8)

Printing date 10.09.2014 Revision: 18.07.2014

Trade name: All Weather Paintstik

(Contd. of page 7)

· Solubility in / Miscibility with

water:

Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Kinematic: Not applicable. Not applicable.

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous reactions

Contact with acids releases flammable gases.

Reacts with oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong alkali.

· 10.4 Conditions to avoid

Keep away from heat and direct sunlight.

Store away from oxidizing agents.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Sulphur oxides (SOx)

Toxic metal oxide smoke

SECTION 11: Toxicological Information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bloaccumulative potential No further relevant information available.

(Contd. on page 9)

Printing date 10.09.2014

Revision: 18.07,2014

Trade name: All Weather Paintstik

· 12.4 Mobility in soil No further relevant information available.

(Contd. of page 8)

- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number
- · DOT

UN3077

Classification as a MARINE POLLUTANT is based on MARPOL and DOT rules. Labeling as a MARINE POLLUTANT is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds)

for a solid. **UN3077**

· ADR, IMDG ·IATA

Not Regulated

(Contd. on page 10)

Printing date 10.09.2014

Trade name: All Weather Paintstik

(Contd. of page 9)

Revision: 18.07.2014

· 14.2 UN proper shipping name

DOT

Environmentally hazardous substances, solid, n.o.s.

(copper, zinc powder -zinc dust (stabilized))

· ADR

3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper, zinc powder -

zinc dust (stabilized))

Not Regulated

·IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE. SOLID, N.O.S. (copper, zinc powder -zinc dust

(stabilized)), MARINE POLLUTANT

·IATA

· 14.3 Transport hazard class(es)

· DOT, IMDG



· Class

· Label

9 Miscellaneous dangerous substances and articles.

- ADR



· Class

9 (M7) Miscellaneous dangerous substances and

articles.

·Label

9

·IATA

· Class

· 14.4 Packing group

DOT, ADR, IMDG

· IATA

Not Regulated

Not Regulated

· 14.5 Environmental hazards:

· Marine pollutant:

Yes

Symbol (fish and tree)

· Special marking (ADR):

Symbol (fish and tree)

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and

articles. F-A.S-F

· EMS Number:

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

· Limited quantities (LQ)

5 kg

· Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

(Contd. on page 11)

(Contd. on page 12)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 10.09.2014 Revision: 18.07.2014

Trade name: All Weather Paintstik	
Transport category Tunnel restriction code UN "Model Regulation":	(Contd. of page 10) E UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper, zinc powder - zinc dust (stabilized)), 9, III
SECTION 15: Regulatory infor	mation (a) (a) (a) (b) (b) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
· 15.1 Safety, health and environment · United States (USA) · SARA	al regulations/legislation specific for the substance or mixture
Section 355 (extremely hazardous su	ubstances):
None of the ingredients is listed.	
Section 313 (Specific toxic chemical	listings):
7440-50-8 copper	
7429-90-5 aluminium powder (stabilise	ed)
7440-66-6 zinc powder -zinc dust (stab	ilized)
· TSCA (Toxic Substances Control Ac	1):
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
carbon black	
· Chemicals known to cause reproduc	tive toxicity for females:
None of the ingredients are listed.	
· Chemicals known to cause reproduc	tive toxicity for males:
None of the ingredients is listed.	
· Chemicals known to cause developm	nental toxicity:
None of the ingredients is listed.	
· Carcinogenic Categories	
EPA (Environmental Protection Agen	cy)
7440-50-8 copper	D
7440-66-6 zinc powder -zinc dust (stabi	lized) D, I, II
· IARC (International Agency for Resea	rch on Cancer)
carbon black	28
TLV (Threshold Limit Value establishe	
7429-90-5 aluminium powder (stabilised	
carbon black	A4 A4
NIOSH-Ca (National Institute for Occu	pational Safety and Health)
carbon black	, and reality

Printing date 10.09.2014 Revision: 18.07.2014

Trade name: All Weather Paintstik

		(Contd. of page 11)
· Canada		<u> </u>
Canadian	Domestic Substances List (DSL)	
All ingredie	ents are listed.	
Canadian	Ingredient Disclosure list (limit 0.1%)	
None of the	e ingredients is listed.	
· Canadian	Ingredient Disclosure list (limit 1%)	
7440-50-8	copper	
8001-26-1	Linseed oil	
7429-90-5	aluminium powder (stabilised)	
	carbon black	

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

-

· Relevant phrases

H228 Flammable solid.

H261 In contact with water releases flammable gases.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

R11 Highly flammable.

R15 Contact with water liberates extremely flammable gases.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

(Contd. on page 13)

Printing date 10.09.2014

Revision: 18.07.2014

Trade name: All Weather Paintstik

Flam. Sol. 1: Flammable solids, Hazard Category 1

(Contd. of page 12)

Water-react. 2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toli Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

			2