

Revision date: 17-Dec-2013 Version: 2.0 Page 1 of 10

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE **COMPANY/UNDERTAKING**

Product Identifier

Material Name: Aureo® S 700G

Trade Name:

AUREO S 700G

**Chemical Family:** 

Tetracycline derivative ; Sulfonamide

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use:

Feed additive

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.

100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896 Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem

**Belgium** 

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

# 2. HAZARDS IDENTIFICATION

Appearance:

Brown solid

Classification of the Substance or Mixture

**GHS - Classification** 

Reproductive Toxicity: Category 1A

**US OSHA Specific - Classification** 

Physical Hazard: Combustible Dust

**EU Classification:** 

EU Indication of danger: Toxic

EU Symbol:

Т

EU Risk Phrases:

R60 - May impair fertility.

R61 - May cause harm to the unborn child.

**Label Elements** 

Signal Word:

Danger

Hazard Statements:

H360 - May damage fertility or the unborn child

May form combustible dust concentrations in air

700141

VFD AUREO \$-700

#005007

12/17/13

PAGE 1 of 10

Material Name: Aureo® S 700G Revision date: 17-Dec-2013

Page 2 of 10 Version: 2.0

**Precautionary Statements:** 

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical attention/advice

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards
Short Term:

Long Term:

Exposure to sunlight following contact may result in skin reactions in rare instances.

High doses of tetracyclines can cause a liver condition known as fatty liver. Individuals who suffer from high cholesterol, high triglycerides, or have alcoholic liver disease may be more susceptible. May produce kidney toxicity if kidney damage already exists (based on animal

data).

**Known Clinical Effects:** 

Symptoms of chronic exposure to tetracyclines include redness and swelling of the skin, rash, chills, tooth discoloration, yellowing of the skin and eyes, nausea, vomiting, diarrhea, stomach pain, and chest pain. May cause permanent discoloration of teeth if used during tooth development. Photosensitivity has been reported in some individuals taking tetracyclines. As in all sulfonamide therapy, the following reactions may occur including nausea, vomiting, diarrhea, inflammation of the liver and pancreas, blood disorder, drug fever, skin rash, infection

of the conjunctiva and sclera, blood in the urine and crystalluria.

**Australian Hazard Classification** 

(NOHSC):

Note:

Hazardous Substance. Non-Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Chlortetracycline	57-62-5	200-341-7	Repr. Cat.1;R61	Repro. Tox. Cat. 1A (H360)	5-10
Mineral oil	8012-95-1	232-384-2	Not Listed	Not Listed	0-5
Sulfamethazine	57-68-1	200-346-4	Not Listed	Not Listed	5-10

ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Silica gel	63231-67-4	Not Listed	Not Listed	Not Listed	0-5
Calcium carbonate	1317-65-3	215-279-6	Not Listed	Not Listed	60-100

Material Name: Aureo® \$ 700G Revision date: 17-Dec-2013

Page 3 of 10 Version: 2.0

Additional Information:

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

### 4. FIRST AID MEASURES

**Description of First Aid Measures** 

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

**Exposure:** Identification and/or Section 11 - Toxicological Information.

Medical Conditions Breathing dust may worsen asthma symptoms.

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

# 5. FIRE-FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions. Dust can form an explosive

mixture in air.

**Advice for Fire-Fighters** 

Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Avoid dust formation.

#### **Environmental Precautions**

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

### Methods and Material for Containment and Cleaning Up

Material Name: Aureo® S 700G Revision date: 17-Dec-2013

Page 4 of 10 Version: 2.0

Measures for Cleaning /

Collecting:

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.

Additional Consideration for

Large Spills:

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

# 7. HANDLING AND STORAGE

### **Precautions for Safe Handling**

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Minimize dust generation and accumulation. Use with adequate ventilation. Wash thoroughly after handling. Releases to the environment should be avoided. Use appropriate personal protective equipment.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:

Store at room temperature in properly labeled containers. Keep away from heat, sparks and

flames.

Specific end use(s):

No data available

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

Refer to available public information for specific member state Occupational Exposure Limits.

### Chlortetracycline

Zoetis OEL TWA 8-hr 0.5 mg/m³
Latvia OEL - TWA 0.1 mg/m³

### Mineral oil

**ACGIH Threshold Limit Value (TWA)** 5 mg/m<sup>3</sup> **Australia TWA** 5 mg/m<sup>3</sup> **Belgium OEL - TWA** 5 ma/m<sup>3</sup> **Bulgaria OEL - TWA** 5.0 mg/m<sup>3</sup> Czech Republic OEL - TWA 5 mg/m<sup>3</sup> Denmark OEL - TWA 1 mg/m<sup>3</sup> Finland OEL - TWA 5 mg/m<sup>3</sup> Greece OEL - TWA 5 mg/m<sup>3</sup> Lithuania OEL - TWA 1 mg/m<sup>3</sup> Netherlands OEL - TWA 5 mg/m<sup>3</sup> Vietnam O EL - TWAs 5 mg/m<sup>3</sup> **OSHA - Final PELS - TWAs:** 5 mg/m<sup>3</sup> Poland OEL - TWA 5 mg/m<sup>3</sup> Portugal OEL - TWA 5 mg/m<sup>3</sup> Romania OEL - TWA 5 mg/m<sup>3</sup> Slovakia OEL - TWA 5 ppm 1 mg/m<sup>3</sup> 5 mg/m<sup>3</sup> Spain OEL - TWA 5 ma/m<sup>3</sup> Sweden OEL - TWAs 1 mg/m<sup>3</sup>

Material Name: Aureo® S 700G Revision date: 17-Dec-2013

Page 5 of 10 Version: 2.0

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Silica del

Australia TWA 10 mg/m<sup>3</sup> Slovenia OEL - TWA 4 mg/m<sup>3</sup>

Sulfamethazine

Latvia OEL - TWA 1 mg/m<sup>3</sup> Lithuania OEL - TWA 1 mg/m<sup>3</sup>

Calcium carbonate

**Belgium OEL - TWA** 10 mg/m<sup>3</sup> Bulgaria OEL - TWA 1.0 fiber/cm3 10.0 mg/m<sup>3</sup> Czech Republic OEL - TWA 10.0 mg/m<sup>3</sup> Estonia OEL - TWA 10 mg/m<sup>3</sup> 5 mg/m<sup>3</sup> **Greece OEL - TWA** 10 mg/m<sup>3</sup> 5 mg/m<sup>3</sup> **Hungary OEL - TWA** 10 mg/m<sup>3</sup> Ireland OEL - TWAs 10 ma/m<sup>3</sup> 4 mg/m<sup>3</sup> **OSHA - Final PELS - TWAs:** 15 mg/m<sup>3</sup> Romania OEL - TWA 10 mg/m<sup>3</sup> Slovakia OEL - TWA 10 mg/m<sup>3</sup> Switzerland OEL -TWAs 3 mg/m<sup>3</sup>

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Sulfamethazine

Zoetis OEB OEB 2 (control exposure to the range of 100ug/m3 to < 1000ug/m3)

**Exposure Controls** 

**Engineering Controls:** Engineering controls should be used as the primary means to control exposures. Keep

airborne contamination levels below the exposure limits listed above in this section. General

room ventilation is adequate unless the process generates dust, mist or fumes.

Refer to applicable national standards and regulations in the selection and use of personal **Personal Protective** 

Equipment:

protective equipment (PPE).

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk

processing operations.

Eves: Wear safety glasses or goggles if eye contact is possible.

Impervious protective clothing is recommended if skin contact with drug product is possible and Skin:

for bulk processing operations.

Respiratory protection: If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear

an appropriate respirator with a protection factor sufficient to control exposures to the bottom of

the OEB range.

Material Name: Aureo® S 700G Revision date: 17-Dec-2013

Page 6 of 10 Version: 2.0

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** 

Solid

Color:

Brown

Odor:

No data available.

Odor Threshold:

No data available.

Molecular Formula:

Mixture

Molecular Weight:

Mixture

Solvent Solubility: Water Solubility:

No data available No data available No data available. No data available

pH: Melting/Freezing Point (°C): Boiling Point (°C):

Boiling Point (°C): No data available.
Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C):

No data available.

Evaporation Rate (Gram/s): Vapor Pressure (kPa): Vapor Density (g/ml): No data available

Relative Density: Viscosity:

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids): Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.): Lower Explosive Limits (Liquid) (% by Vol.): Polymerization:

No data available

No data available No data available No data available

No data available Will not occur

# 10. STABILITY AND REACTIVITY

Reactivity:

No data available

**Chemical Stability:** 

Stable under normal conditions of use.

**Possibility of Hazardous Reactions** 

Oxidizing Properties:

No data available

Conditions to Avoid:

Fine particles (such as dust and mists) may fuel fires/explosions. Keep away from heat, spark,

flames and all other sources of ignition.

Incompatible Materials:

As a precautionary measure, keep away from strong oxidizers No data available

Hazardous Decomposition Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

The information in this section describes the hazards of various forms of the active ingredient. The toxicities of the two materials can be expected to be similar. The remaining information describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Chlortetracycline

Material Name: Aureo® S 700G Revision date: 17-Dec-2013

Page 7 of 10 Version: 2.0

# 11. TOXICOLOGICAL INFORMATION

Rat Oral LD50 3000 mg/kg

**Sulfamethazine** 

Mouse Oral LD50 50 g/kg

Mouse Sub-tenon injection (eye) LD50 1.06 g/kg

Oxytetracycline

Mouse Oral LD50 > 5200 mg/kg

Rat Oral LD50 4800mg/kg

Mouse Subcutaneous LD50 > 3500mg/kg

Mouse Subcutaneous LD50 > 3500mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Mineral oil

Eye Irritation Rabbit Moderate Skin Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Chlortetracycline

6 Week(s) Mouse Oral 100 mg/kg/day NOAEL No effects at maximum dose
14 Week(s) Mouse Oral 200 mg/kg/day NOAEL No effects at maximum dose
14 Week(s) Rat Oral 200 mg/kg/day NOAEL No effects at maximum dose

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Chlortetracycline

2 Generation Reproductive Toxicity Rat Oral 500 mg/kg/day NOAEL Negative

Sulfamethazine

Reproductive & Fertility Mouse Oral 805 mg/kg/day NOEL Fertility

Embryo / Fetal Development Rat Oral 545 mg/kg/day NOEL Teratogenic

Reproductive & Fertility Rabbit Oral 600 mg/kg/day NOEL Not Teratogenic, Maternal Toxicity, Fetotoxicity

Oxytetracycline

Embryo / Fetal Development Rat Oral 100 mg/kg/day NOAEL No effects at maximum dose

Embryo / Fetal Development Rat Intramuscular 41.5 mg/kg/day NOAEL No effects at maximum dose

Embryo / Fetal Development Rabbit Intramuscular 41.5 mg/kg/day LOEL Embryotoxicity

Embryo / Fetal Development Dog Intramuscular 20.75 mg/kg/day LOEL Embryotoxicity, Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Chlortetracycline

In Vitro Bacterial Mutagenicity (Ames) Salmonella, E. coli Negative

In Vitro HGPRT Forward Gene Mutation Assay Chinese Hamster Ovary (CHO) cells Negative

In Vitro Unscheduled DNA Synthesis Rat Hepatocyte Negative

In Vivo Chromosome Aberration Rat Negative

Sulfamethazine

Material Name: Aureo® S 700G Revision date: 17-Dec-2013

Page 8 of 10 Version: 2.0

# 11. TOXICOLOGICAL INFORMATION

Bacterial Mutagenicity (Ames) Salmonella Negative

Chromosome Aberration Chinese Hamster Ovary (CHO) cells Negative
Sister Chromatid Exchange Chinese Hamster Ovary (CHO) cells Positive

Oxytetracycline

Bacterial Mutagenicity (Ames) Salmonella Negative

Mammalian Cell Mutagenicity Mouse Lymphoma Positive with activation
In Vitro Chromosome Aberration Chinese Hamster Ovary (CHO) cells Negative
Sister Chromatid Exchange Chinese Hamster Ovary (CHO) cells Negative

Micronucleus Mouse Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Chlortetracycline

2 Year(s) Rat Oral 700 mg/kg/day NOAEL Not carcinogenic

Oxytetracycline

103 Week(s) Rat Oral, in feed 2094 mg/kg/day NOEL Not carcinogenic

Sulfamethazine

Carcinogen Status:

IARC: Group 3 (Not Classifiable)

# 12. ECOLOGICAL INFORMATION

None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

Toxicity: No data available

Oxytetracycline

Oncorhynchus mykiss (Rainbow Trout) LC50 96 Hours < 200 mg/L

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

Material Name: Aureo® \$ 700G Revision date: 17-Dec-2013

Page 9 of 10 Version: 2.0

# 13. DISPOSAL CONSIDERATIONS

### **Waste Treatment Methods:**

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

# 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

# 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications
WHMIS hazard class:
Class D, Division 2, Subdivision A



### Chlortetracycline

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling
for Drugs and Poisons:

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Schedule 4

Present

Schedule 4

Schedule 5

EU EINECS/ELINCS List

### Mineral oil

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Present

232-384-2

### Silica gel

Material Name: Aureo® S 700G Revision date: 17-Dec-2013

Page 10 of 10 Version: 2.0

# 15. REGULATORY INFORMATION

CERCLA/SARA 313 Emission reporting

California Proposition 65
Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Sulfamethazine

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling
for Drugs and Poisons:

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Schedule 4

Present

Schedule 4

Schedule 5

EU 60-346-4

Calcium carbonate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

10 Present

215-279-6

### 16. OTHER INFORMATION

# Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H360 - May damage fertility or the unborn child

R61 - May cause harm to the unborn child.

Data Sources:

The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 6 - Accidental Release Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 10 - Stability and Reactivity. Updated Section 11 - Toxicology Information. Updated Section 12

- Ecological Information. Updated Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

**End of Safety Data Sheet**