

Revision date: 13-Dec-2013

Version: 1.0

Page 1 of 9

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Aureomycin® 50G

Trade Name:

Aureomycin®

Chemical Family:

Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use:

Veterinary product

Restrictions on Use:

Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.

100 Campus Drive, P.O. Box 651

Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetls Belgium S.A. Mercuriusstraat 20 1930 Zaventem

Belgium

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail:

VMIPSrecords@zoetis.com

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance:

Brown solid

Classification of the Substance or Mixture

GHS - Classification

Reproductive Toxicity: Category 1A

US OSHA Specific - Classification

Physical Hazard: Combustible Dust

EU Classification:

EU Indication of danger: Toxic to reproduction: Category 1

EU Symbol:

Т

EU Risk Phrases:

R61 - May cause harm to the unborn child.

Label Elements

Signal Word:

Danger

Hazard Statements:

H360D - May damage the unborn child

May form combustible dust concentrations in air

ZT00074

Material Name: Aureomycin® 50G

Revision date: 13-Dec-2013

Page 2 of 9 Version: 1.0

Precautionary Statements: P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking P308 + P313 - IF exposed or concerned: Get medical attention/advice

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations

Supplemental Hazards:

Powdered material may form explosive dust-air mixtures



Other Hazards Short Term:

May cause hypersensitivity reactions in susceptible individuals. May cause stomach imitation,

diarrhea, nausea, or vomiting. May cause eye, skin and respiratory tract irritation May cause

adverse blood effects

Long Term: May cause damage to

May cause damage to liver and kidneys

Australian Hazard Classification

(NOHSC):

Hazardous Substance. Non-Dangerous Goods.

Note:

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Chlortetracycline	57-62-5	200-341-7	Repr. Cat.1;R61	Repro. Tox. Cat. 1A (H360)	46-50
Calcium sulfate, dihydrate	10101-41-4	Not Listed	Not Listed	Not Listed	45-49
Mineral oil	8012-95-1	232-384-2	Not Listed	Not Listed	0-5

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Water	7732-18-5	231-791-2	Not Listed	Not Listed	0-5

Additional Information:

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

Material Name: Aureomycin® 50G

Page 3 of 9 Revision date: 13-Dec-2013 Version: 1.0

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of

For information on potential signs and symptoms of exposure, See Section 2 - Hazards **Exposure:** Identification and/or Section 11 - Toxicological Information.

Medical Conditions Breathing dust may worsen asthma symptoms.

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion

Formation of toxic gases is possible during heating or fire.

Products:

Fire / Explosion Hazards: During processing, dust may form explosive mixture in air. Fine particles (such as dust and

mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Avoid dust formation. Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning /

Collectina:

Avoid generating airborne dust. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Collect spilled material by a method that controls dust generation. Collect wash with a noncombustible absorbent material and transfer to labeled container for treatment and disposal.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel. Material Name: Aureomycin® 50G

Revision date: 13-Dec-2013

Page 4 of 9 Version: 1.0

7. HANDLING AND STORAGE

Precautions for Safe Handling

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Minimize dust generation and accumulation. Use with adequate ventilation.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:

Store at room temperature in properly labeled containers. Keep away from heat, sparks and

flames.

Specific end use(s):

No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Chlortetracycline

Zoetis OEL TWA 8-hr	0.5 mg/m³
Latvia OEL - TWA	0.1 mg/m ³

Calcium sulfate, dlhydrate

ACGIH Threshold Limit Value (TWA)	10 mg/m ³
Germany (DFG) - MAK	1.5 mg/m ³
	4 mg/m³
Vietnam O EL - TWAs	6 mg/m ³
Portugal OEL - TWA	10 mg/m ³
Spain OEL - TWA	10 mg/m ³
Switzerland OEL -TWAs	3 mg/m ³

Mineral oil

ACGIH Threshold Limit Value (TWA)	5 mg/m³
Australia TWA	5 mg/m ³
Belgium OEL - TWA	5 mg/m ³
Bulgaria OEL - TWA	5.0 mg/m ³
Czech Republic OEL - TWA	5 mg/m ³
Denmark OEL - TWA	1 mg/m ³
Finland OEL - TWA	5 mg/m ³
Greece OEL - TWA	5 mg/m ³
Lithuania OEL - TWA	1 mg/m ³
Netherlands OEL - TWA	5 mg/m ³
Vietnam O EL - TWAs	5 mg/m ³
OSHA - Final PELS - TWAs:	5 mg/m ³
Poland OEL - TWA	5 mg/m ³
Portugal OEL - TWA	5 mg/m ³
Romania OEL - TWA	5 mg/m ³
Slovakia OEL - TWA	5 ppm
	1 mg/m ³
	5 mg/m ³
Spain OEL - TWA	5 mg/m ³
Sweden OEL - TWAs	1 mg/m ³

Material Name: Aureomycin® 50G

Revision date: 13-Dec-2013

Page 5 of 9 Version: 1.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or aerosols. Keep

airborne contamination levels below the exposure limits listed above in this section.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

Equipment:

Wear impervious gloves if skin contact is possible.

Hands: Eves: Safety glasses or goggles

Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and

laboratory areas.

Respiratory protection: Respiratory protection should be provided in instances where exposure to dust, mists, aerosols

or vapors are likely. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Granular solid

Color:

Brown

Odor: Molecular Formula:

Slight Mixture **Odor Threshold:** Molecular Weight: No data available. Mixture

Solvent Solubility:

Water Solubility:

No data available Slightly Soluble:

pH:

7-9

Melting/Freezing Point (°C):

No data available Boiling Point (°C): No data available.

Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C):

No data available.

Evaporation Rate (Gram/s):

No data available No data available No data available

Vapor Pressure (kPa): Vapor Density (g/ml): **Relative Density:**

No data available No data available

Viscosity:

Flammablity:

Autoignition Temperature (Solid) (°C):

No data available Flammability (Solids): No data available Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.): Lower Explosive Limits (Liquid) (% by Vol.): No data available No data available No data available

10. STABILITY AND REACTIVITY

Reactivity:

No data available

Chemical Stability:

Stable under normal conditions of use.

Possibility of Hazardous Reactions

No data available

Oxidizing Properties: Conditions to Avoid:

Dust may form explosive mixture in air. Fine particles (such as dusts, mists and vapors) may

fuel fires/explosions. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact,

friction, electrostatic discharge).

Incompatible Materials:

As a precautionary measure, keep away from strong oxidizers

Material Name: Aureomycin® 50G

Revision date: 13-Dec-2013

Page 6 of 9 Version: 1.0

10. STABILITY AND REACTIVITY

Hazardous Decomposition Products:

Thermal decomposition products may include carbon monoxide, carbon dioxide and other toxic

vapors.

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

Toxicological properties of the formulation have not been fully investigated. The following information is available for the individual ingredients. The information in this section describes the hazards of various forms of the active ingredient.

Acute Toxicity: (Species, Route, End Point, Dose)

Chlortetracycline

Rat Oral LD50 3000 mg/kg

Oxytetracycline

Mouse Oral LD50 > 5200 mg/kg

Rat Oral LD50 4800mg/kg

Mouse Subcutaneous LD50 > 3500mg/kg

Inhalation Acute Toxicity

Inhalation of dust may cause irritation of the respiratory tract and mucous membranes and allergic reactions in susceptible individuals.

Mineral oil

Eve Irritation Moderate Rabbit Skin Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Chiortetracycline

6 Week(s) Mouse Oral 100 mg/kg/day No effects at maximum dose NOAEL 14 Week(s) Mouse Oral 200 mg/kg/day NOAEL No effects at maximum dose 14 Week(s) Oral 200 mg/kg/day Rat NOAEL No effects at maximum dose

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Chlortetracycline

2 Generation Reproductive Toxicity Rat Oral 500 mg/kg/day NOAEL Negative

Oxytetracycline

Embryo / Fetal Development Rat Oral 100 mg/kg/day NOAEL No effects at maximum dose

Embryo / Fetal Development Rat Intramuscular 41.5 mg/kg/day NOAEL No effects at maximum dose

Embryo / Fetal Development Rabbit Intramuscular 41.5 mg/kg/day LOEL **Embryotoxicity**

Embryo / Fetal Development Dog Intramuscular 20.75 mg/kg/day LOEL Embryotoxicity, Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Chlortetracycline

In Vitro Bacterial Mutagenicity (Ames) Salmonella , E. coli Negative

In Vitro HGPRT Forward Gene Mutation Assay Chinese Hamster Ovary (CHO) cells Negative

In Vitro Unscheduled DNA Synthesis Rat Hepatocyte Negative

Material Name: Aureomycin® 50G

Page 7 of 9 Revision date: 13-Dec-2013 Version: 1.0

11. TOXICOLOGICAL INFORMATION

In Vivo Chromosome Aberration Rat Negative

Oxytetracycline

Bacterial Mutagenicity (Ames) Salmonella Negative

Mammalian Cell Mutagenicity Mouse Lymphoma Positive with activation In Vitro Chromosome Aberration Chinese Hamster Ovary (CHO) cells Negative Sister Chromatid Exchange Chinese Hamster Ovary (CHO) cells Negative

Micronucleus Mouse Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Chlortetracycline

2 Year(s) Rat Oral 700 mg/kg/day **NOAEL** Not carcinogenic

Oxytetracycline

103 Week(s) Rat Oral, in feed 2094 mg/kg/day NOEL Not carcinogenic

Carcinogen Status:

None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Environmental Overview:

Environmental properties of the formulation have not been investigated. Releases to the

environment should be avoided.

Toxicity:

No data available

Oxytetracycline

Oncorhynchus mykiss (Rainbow Trout) LC50 96 Hours < 200 mg/L

Persistence and Degradability;

No data available

Bio-accumulative Potential:

No data available

Mobility in Soil:

No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Material Name: Aureomycin® 50G

Revision date: 13-Dec-2013

Page 8 of 9 Version: 1.0

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications WHMIS hazard class:

Class D, Division 2, Subdivision A



-		10
E B	O HOTES	cvcline
	vitelia	CACIIIIC

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 4
for Drugs and Poisons:	Schedule 5
EU EINECS/ELINCS List	200-341-7

Calcium sulfate, dihydrate

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed

Mineral oil

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	232-384-2

Water

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex IV - Exemptions from the	Present
obligations of Register:	
EU EINECS/ELINCS List	231-791-2

Material Name: Aureomycin® 50G

Page 9 of 9 Revision date: 13-Dec-2013 Version: 1.0

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Reproductive toxicity-Cat.1A; H360D - May damage the unborn child

Toxic to reproduction: Category 1

R61 - May cause harm to the unborn child.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: New data sheet.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet