

## Zep Venture II

Version 1.0

Revision Date 05/18/2015

Print Date 10/15/2015

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name

Zep Venture II

**EPA ID Number:** 

1839-84-1270

Material number

000000000000000000001

Manufacturer or supplier's details

Company

Zep, Inc.

Address

1310 Seaboard Industrial Blvd., NW

Atlanta, GA 30318

Telephone

404-352-1680

### **Emergency telephone numbers**

For SDS Information

Compliance Services 1-877-428-9937

For a Medical Emergency
For a Transportation

877-541-2016 Toll Free - All Calls Recorded
CHEMTREC: 800-424-9300 - All Calls Recorded.

Emergency

In the District of Columbia 202-483-7616

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	clear, colourless
Odour	pleasant

#### **GHS Classification**

Gases under pressure

Eye irritation

: Liquefied gas

Category 2A

#### **GHS** Label element

Hazard pictograms



Signal word

: Warning

Hazard statements

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

Precautionary statements

Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.



## Zep Venture II

Version 1.0

Revision Date 05/18/2015

Print Date 10/15/2015

P337 + P313 If eye irritation persists: Get medical advice/

attention. Storage:

P410 + P403 Protect from sunlight. Store in a well-ventilated

place,

**Potential Health Effects** 

Carcinogenicity:

**IARC** 

**ACGIH** 

No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA,

NO component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### SECTION 3, COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### **Hazardous components**

Chemical Name	CAS-No.	Concentration [%]
2-(2-butoxyethoxy)ethanol	112-34-5	>= 1 - < 5
butane	106-97-8	>= 1 - < 5
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 1= < 5
propane	74-98-6	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice

: Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled

: If unconscious place in recovery position and seek medical

advice.

Consult a physician after significant exposure.

In case of skin contact

f skin irritation persists, call a physician.

If on clothes, remove clothes.

Wash off immediately with plenty of water for at least 15

minutes.

In case of eye contact

Remove contact lenses.

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.



## Zep Venture II

 Version 1.0
 Revision Date 05/18/2015
 Print Date 10/15/2015

Rinse immediately with plenty of water for at least 15 minutes.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center. Take victim immediately to hospital.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media 🥞 Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2)

Carbon monoxide

Smoke

Nitrogen oxides (NOx)

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Sweep up or vacuum up spillage and collect in suitable



## **Zep Venture II**

Version 1.0

Revision Date 05/18/2015

Print Date 10/15/2015

container for disposal.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling

: Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Do not breathe vapours or spray mist.

Take precautionary measures against static discharges.

Provide sufficient air exchange and/or exhaust in work rooms.

Dispose of rinse water in accordance with local and national

regulations.

Always replace cap after use.

Conditions for safe storage

: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects.

Keep in a dry, cool and well-ventilated place.

Observe label precautions.

No smoking.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid

: Oxidizing agents

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA PO

#### Personal protective equipment

Respiratory protection

: In case of insufficient ventilation, wear suitable respiratory

equipment.



## Zep Venture II

Version 1.0 Revision Date 05/18/2015 Print Date 10/15/2015

Hand protection

Remarks The suitability for a specific workplace should be discussed.

with the producers of the protective gloves.

Eye protection Ensure that eyewash stations and safety showers are close to

the workstation location.

Safety glasses

Skin and body protection impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures When using do not eat or drink.

When using do not smoke,

Wash hands before breaks and at the end of workday.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : Aerosol containing a liquefied gas

Colour : clear, colourless

Odour : pleasant

Odour Threshold : no data available

pН : 11.0 - 12.0

Melting point/freezing point : no data available

Boiling point 100 °C

Flash point

not applicable

E < 1 Evaporation rate

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit no data available Lower explosion limit : no data available

Vapour pressure : 0.021 hPa

Relative vapour density : no data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: no data available

: 1.013 g/cm3

Auto-ignition temperature : not determined

Thermal decomposition : no data available

Viscosity

Density



## Zep Venture II

Version 1.0 Revision Date 05/18/2015 Print Date 10/15/2015

Viscosity, kinematic

: no data available

Heat of combustion

4.48 kJ/g

SECTION 10, STABILITY AND REACTIVITY

Reactivity

: Stable

Chemical stability

Conditions to avoid

: Stable under normal conditions.

Possibility of hazardous

reactions

Heat, flames and sparks.

Incompatible materials

Extremes of temperature and direct sunlight.

: No decomposition if stored and applied as directed.

: Oxidizing agents

Hazardous decomposition

products

: Carbon oxides

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

#### **Product:**

Acute oral toxicity

: Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

### Components:

butane:

Acute inhalation toxicity

LC50 mouse: 1,237 mg/i

Exposure time: 2 h

LC50 rat: 1,355 mg/l

propane:

Acute inhalation toxicity

: LC50 mouse: 1,237 mg/l

Exposure time: 2 h

LC50 rat: 658 mg/l Exposure time: 4 h

LC50 rat: 1,355 mg/l

#### Skin corrosion/irritation

### Product:

Remarks: May irritate skin.



## Zep Venture II

Version 1.0

Revision Date 05/18/2015

Print Date 10/15/2015

### Serious eye damage/eye irritation

#### **Product:**

Remarks: May irritate eyes.

### Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

### Reproductive toxicity

no data available

2-(2-butoxyethoxy)ethanoi:

butane:

tetrasodium ethylenediaminetetraacetate:

propane:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

**Aspiration toxicity** 

no data available

### **Further Information**

Product:

Remarks: no data available

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

no data available

## Persistence and degradability

no data available

Bioaccumulative potential

#### **Product:**

Partition coefficient: n-

octanol/water Components: Remarks: no data available



## Zep Venture II

Version 1.0 Revision Date 05/18/2015 Print Date 10/15/2015

2-(2-butoxyethoxy)ethanol:

Partition coefficient: n-

Pow: 1

octanol/water butane :

Partition coefficient: n-

Pow: 2.89

octanol/water

Mobility In soil

no data available

Other adverse effects

no data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

: An environmental hazard cannot be excluded in the

event of unprofessional handling or disposal., Harmful to

aquatic life.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues

: The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging

: Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air):



## Zep Venture II

Version 1.0 Revision Date 05/18/2015 Print Date 10/15/2015

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

#### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

## Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: WARNING

Causes skin and eye imitation.

Harmful if swallowed.

## EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Sudden Release of Pressure Hazard

Acute Health Hazard

**SARA 302** 

: SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

**SARA 313** 

: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the

threshold (De Minimis) reporting levels established by SARA

Title III, Section 313.

California Prop 65

This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

## The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory



## Zep Venture ||

Version 1.0

Revision Date 05/18/2015

Print Date 10/15/2015


### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZioC (New Zealand), PICCS (Philippines), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



Special hazard.

#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	2

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

#### OSHA GHS Label Information:

Hazard pictograms





Signal word Hazard statements Precautionary statements Warning:

Contains gas under pressure; may explode if heated. Causes serious eye irritation.

Prevention: Wash skin thoroughly after handling. Wear eye protection/face protection. Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Storage: Protect from sunlight. Store in a well-ventilated place.

Version:	10
Revision Date:	05/18/2015
Print Date:	10/15/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next



# Zep Venture II

Version 1.0

Revision Date 05/18/2015

Print Date 10/15/2015

Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.